





FgArea: [' 0']
NC11 P2-13
2025-11-22 (Day 77)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing

VI


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-13_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	65	20.0	0.094	晴	预期@08:00 手动 (未用传感器)
08:35	65	20.0	0.094	晴	预期@08:35 手动 (未用传感器)
09:10	65	20.0	0.094	晴	预期@09:10 手动 (未用传感器)
09:45	65	20.0	0.094	晴	预期@09:45 手动 (未用传感器)
10:20	65	20.0	0.094	晴	预期@10:20 手动 (未用传感器)
11:05	65	20.0	0.094	晴	预期@11:05 手动 (未用传感器)
12:05	65	20.0	0.094	晴	预期@12:05 手动 (未用传感器)
13:00	65	20.0	0.094	晴	预期@13:00 手动 (未用传感器)
13:55	65	20.0	0.094	晴	预期@13:55 手动 (未用传感器)
总计	585.0 (9次)	180.0			建议进液EC: 1910, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	59	20.0	0.094	晴	假设@08:00 未知程序 (未用传感器)
08:35	59	20.0	0.094	晴	假设@08:35 未知程序 (未用传感器)
09:10	59	20.0	0.094	晴	假设@09:10 未知程序 (未用传感器)
09:45	59	20.0	0.094	晴	假设@09:45 未知程序 (未用传感器)
10:20	59	20.0	0.094	晴	假设@10:20 未知程序 (未用传感器)
11:05	59	20.0	0.094	晴	假设@11:05 未知程序 (未用传感器)
11:55	59	20.0	0.094	晴	假设@11:55 未知程序 (未用传感器)
12:50	59	20.0	0.094	晴	假设@12:50 未知程序 (未用传感器)
13:40	59	20.0	0.094	晴	假设@13:40 未知程序 (未用传感器)
14:40	59	20.0	0.094	晴	假设@14:40 未知程序 (未用传感器)
总计	590.0 (10次)	200.0			建议进液EC: 2160, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	57	20.0	0.094	晴	假设@08:00 未知程序 (未用传感器)
08:35	57	20.0	0.094	晴	假设@08:35 未知程序 (未用传感器)
09:10	57	20.0	0.094	晴	假设@09:10 未知程序 (未用传感器)
09:45	57	20.0	0.094	晴	假设@09:45 未知程序 (未用传感器)
10:20	57	20.0	0.094	晴	假设@10:20 未知程序 (未用传感器)
11:05	57	20.0	0.094	晴	假设@11:05 未知程序 (未用传感器)
12:00	57	20.0	0.094	晴	假设@12:00 未知程序 (未用传感器)
12:55	57	20.0	0.094	晴	假设@12:55 未知程序 (未用传感器)
13:45	57	20.0	0.094	晴	假设@13:45 未知程序 (未用传感器)
总计	513.0 (9次)	180.0			建议进液EC: 2160, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	86	30.0	0.14	雾	假设@08:35 未知程序 (未用传感器)
09:20	86	30.0	0.14	雾	假设@09:20 未知程序 (未用传感器)
10:05	86	30.0	0.14	晴	假设@10:05 未知程序 (未用传感器)
10:50	86	30.0	0.14	晴	假设@10:50 未知程序 (未用传感器)
12:05	86	30.0	0.14	晴	假设@12:05 未知程序 (未用传感器)
13:15	86	30.0	0.14	晴	假设@13:15 未知程序 (未用传感器)
14:30	86	30.0	0.14	晴	假设@14:30 未知程序 (未用传感器)
总计	602.0 (7次)	210.0			建议进液EC: 2160, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	75	30.0	0.14	晴	假设@08:40 未知程序 (未用传感器)
09:30	75	30.0	0.14	晴	假设@09:30 未知程序 (未用传感器)
10:20	75	30.0	0.14	晴	假设@10:20 未知程序 (未用传感器)
11:10	75	30.0	0.14	晴	假设@11:10 未知程序 (未用传感器)
12:20	75	30.0	0.14	晴	假设@12:20 未知程序 (未用传感器)
13:30	75	30.0	0.14	晴	假设@13:30 未知程序 (未用传感器)
总计	450.0 (6次)	180.0			建议进液EC: 2160, PH: 6.0

