





FgArea: [' 0']
NC11 P2-13
2025-12-02 (Day 87)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot forP2-13_0















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:10 | 95 | 20.0 | 0.094 | 晴 | 预期@08:10 手动 (未用传感器) |
| 08:45 | 95 | 20.0 | 0.094 | 晴 | 预期@08:45 手动 (未用传感器) |
| 09:20 | 95 | 20.0 | 0.094 | 晴 | 预期@09:20 手动 (未用传感器) |
| 09:55 | 95 | 20.0 | 0.094 | 晴 | 预期@09:55 手动 (未用传感器) |
| 10:30 | 95 | 20.0 | 0.094 | 晴 | 预期@10:30 手动 (未用传感器) |
| 11:15 | 95 | 20.0 | 0.094 | 晴 | 预期@11:15 手动 (未用传感器) |
| 12:15 | 95 | 20.0 | 0.094 | 晴 | 预期@12:15 手动 (未用传感器) |
| 13:15 | 95 | 20.0 | 0.094 | 晴 | 预期@13:15 手动 (未用传感器) |
| 14:20 | 95 | 20.0 | 0.094 | 晴 | 预期@14:20 手动 (未用传感器) |
| 总计 | 855.0 (9次) | 180.0 | | | 建议进液EC: 1830, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:10 | 95 | 20.0 | 0.094 | 多云 | 假设@08:10 未知程序 (未用传感器) |
| 08:55 | 95 | 20.0 | 0.094 | 多云 | 假设@08:55 未知程序 (未用传感器) |
| 09:40 | 95 | 20.0 | 0.094 | 多云 | 假设@09:40 未知程序 (未用传感器) |
| 10:25 | 95 | 20.0 | 0.094 | 多云 | 假设@10:25 未知程序 (未用传感器) |
| 11:10 | 95 | 20.0 | 0.094 | 晴 | 假设@11:10 未知程序 (未用传感器) |
| 11:55 | 95 | 20.0 | 0.094 | 晴 | 假设@11:55 未知程序 (未用传感器) |
| 13:15 | 95 | 20.0 | 0.094 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 总计 | 665.0 (7次) | 140.0 | | | 建议进液EC: 1920, PH: 6.0 |










| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:15 | 95 | 20.0 | 0.094 | 阴 | 假设@08:15 未知程序 (未用传感器) |
| 09:10 | 95 | 20.0 | 0.094 | 阴 | 假设@09:10 未知程序 (未用传感器) |
| 10:40 | 95 | 20.0 | 0.094 | 阴 | 假设@10:40 未知程序 (未用传感器) |
| 11:25 | 95 | 20.0 | 0.094 | 阴 | 假设@11:25 未知程序 (未用传感器) |
| 12:10 | 95 | 20.0 | 0.094 | 多云 | 假设@12:10 未知程序 (未用传感器) |
| 13:10 | 95 | 20.0 | 0.094 | 多云 | 假设@13:10 未知程序 (未用传感器) |
| 总计 | 570.0 (6次) | 120.0 | | | 建议进液EC: 1880, PH: 6.0 |








| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:05 | 95 | 20.0 | 0.094 | 晴 | 假设@08:05 未知程序 (未用传感器) |
| 08:45 | 95 | 20.0 | 0.094 | 晴 | 假设@08:45 未知程序 (未用传感器) |
| 09:25 | 95 | 20.0 | 0.094 | 晴 | 假设@09:25 未知程序 (未用传感器) |
| 10:05 | 95 | 20.0 | 0.094 | 晴 | 假设@10:05 未知程序 (未用传感器) |
| 10:40 | 95 | 20.0 | 0.094 | 晴 | 假设@10:40 未知程序 (未用传感器) |
| 11:30 | 95 | 20.0 | 0.094 | 晴 | 假设@11:30 未知程序 (未用传感器) |
| 12:35 | 95 | 20.0 | 0.094 | 晴 | 假设@12:35 未知程序 (未用传感器) |
| 13:35 | 95 | 20.0 | 0.094 | 晴 | 假设@13:35 未知程序 (未用传感器) |
| 总计 | 760.0 (8次) | 160.0 | | | 建议进液EC: 1890, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:10 | 95 | 20.0 | 0.094 | 晴 | 假设@08:10 未知程序 (未用传感器) |
| 08:50 | 95 | 20.0 | 0.094 | 晴 | 假设@08:50 未知程序 (未用传感器) |
| 09:30 | 95 | 20.0 | 0.094 | 晴 | 假设@09:30 未知程序 (未用传感器) |
| 10:10 | 95 | 20.0 | 0.094 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 10:50 | 95 | 20.0 | 0.094 | 晴 | 假设@10:50 未知程序 (未用传感器) |
| 11:45 | 95 | 20.0 | 0.094 | 晴 | 假设@11:45 未知程序 (未用传感器) |
| 12:50 | 95 | 20.0 | 0.094 | 晴 | 假设@12:50 未知程序 (未用传感器) |
| 13:55 | 95 | 20.0 | 0.094 | 晴 | 假设@13:55 未知程序 (未用传感器) |
| 总计 | 760.0 (8次) | 160.0 | | | 建议进液EC: 1860, PH: 6.0 |

