





FgArea: [' 0']
NC11 P2-13
2025-12-09 (Day 94)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-13_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.094	晴	预期@08:25 手动 (未用传感器)
09:05	100	20.0	0.094	晴	预期@09:05 手动 (未用传感器)
09:45	100	20.0	0.094	晴	预期@09:45 手动 (未用传感器)
10:25	100	20.0	0.094	晴	预期@10:25 手动 (未用传感器)
11:05	100	20.0	0.094	晴	预期@11:05 手动 (未用传感器)
11:55	100	20.0	0.094	晴	预期@11:55 手动 (未用传感器)
13:10	100	20.0	0.094	晴	预期@13:10 手动 (未用传感器)
14:30	100	20.0	0.094	晴	预期@14:30 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1960, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	100	20.0	0.094	晴	假设@08:40 未知程序 (未用传感器)
09:30	100	20.0	0.094	晴	假设@09:30 未知程序 (未用传感器)
10:35	100	20.0	0.094	晴	假设@10:35 未知程序 (未用传感器)
11:20	100	20.0	0.094	晴	假设@11:20 未知程序 (未用传感器)
12:05	100	20.0	0.094	晴	假设@12:05 未知程序 (未用传感器)
13:05	100	20.0	0.094	晴	假设@13:05 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1940, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	95	20.0	0.094	晴	假设@08:40 未知程序 (未用传感器)
09:25	95	20.0	0.094	晴	假设@09:25 未知程序 (未用传感器)
10:05	95	20.0	0.094	晴	假设@10:05 未知程序 (未用传感器)
10:45	95	20.0	0.094	晴	假设@10:45 未知程序 (未用传感器)
11:25	95	20.0	0.094	晴	假设@11:25 未知程序 (未用传感器)
12:15	95	20.0	0.094	晴	假设@12:15 未知程序 (未用传感器)
13:30	95	20.0	0.094	晴	假设@13:30 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 2000, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	95	20.0	0.094	晴	假设@08:45 未知程序 (未用传感器)
09:35	95	20.0	0.094	晴	假设@09:35 未知程序 (未用传感器)
10:50	95	20.0	0.094	晴	假设@10:50 未知程序 (未用传感器)
11:30	95	20.0	0.094	晴	假设@11:30 未知程序 (未用传感器)
12:10	95	20.0	0.094	晴	假设@12:10 未知程序 (未用传感器)
12:50	95	20.0	0.094	晴	假设@12:50 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1950, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	95	20.0	0.094	多云	假设@09:00 未知程序 (未用传感器)
09:55	95	20.0	0.094	多云	假设@09:55 未知程序 (未用传感器)
10:45	95	20.0	0.094	阴	假设@10:45 未知程序 (未用传感器)
11:35	95	20.0	0.094	多云	假设@11:35 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1890, PH: 6.0

