





FgArea: [ ' 0' ]  
NC11 P2-13  
2025-12-10 (Day 95)


fgNum 1 (at\_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [ [' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-13\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	100	20.0	0.094	多云	预期@09:50 手动 (未用传感器)
10:45	100	20.0	0.094	多云	预期@10:45 手动 (未用传感器)
12:05	100	20.0	0.094	多云	预期@12:05 手动 (未用传感器)
13:20	100	20.0	0.094	多云	预期@13:20 手动 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1970, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	100	20.0	0.094	晴	假设@10:40 未知程序(未用传感器)
11:35	100	20.0	0.094	晴	假设@11:35 未知程序(未用传感器)
12:45	100	20.0	0.094	晴	假设@12:45 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1960, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:15	100	20.0	0.094	晴	假设@11:15 未知程序(未用传感器)
12:15	100	20.0	0.094	晴	假设@12:15 未知程序(未用传感器)
13:45	100	20.0	0.094	晴	假设@13:45 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1940, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:15	95	20.0	0.094	晴	假设@11:15 未知程序(未用传感器)
12:00	95	20.0	0.094	晴	假设@12:00 未知程序(未用传感器)
13:05	95	20.0	0.094	晴	假设@13:05 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 2000, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:20	95	20.0	0.094	晴	假设@11:20 未知程序(未用传感器)
12:05	95	20.0	0.094	晴	假设@12:05 未知程序(未用传感器)
13:20	95	20.0	0.094	晴	假设@13:20 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1950, PH: 6.0

