





FgArea: [ ' 0' ]  
NC11 P2-14  
2026-01-04 (Day 120)


fgNum 1 (at\_row = 37)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing

Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-14\_0






















| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:20 | 100        | 20.0      | 0.1       | 晴  | 预期@09:20 手动 (未用传感器)   |
| 10:15 | 100        | 20.0      | 0.1       | 晴  | 预期@10:15 手动 (未用传感器)   |
| 11:45 | 100        | 20.0      | 0.1       | 晴  | 预期@11:45 手动 (未用传感器)   |
| 13:00 | 100        | 20.0      | 0.1       | 晴  | 预期@13:00 手动 (未用传感器)   |
| 总计    | 400.0 (4次) | 80.0      |           |    | 建议进液EC: 1930, PH: 6.0 |





| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:10 | 100        | 20.0      | 0.1       | 晴  | 假设@09:10 未知程序 (未用传感器) |
| 10:20 | 100        | 20.0      | 0.1       | 晴  | 假设@10:20 未知程序 (未用传感器) |
| 11:50 | 100        | 20.0      | 0.1       | 晴  | 假设@11:50 未知程序 (未用传感器) |
| 13:10 | 100        | 20.0      | 0.1       | 晴  | 假设@13:10 未知程序 (未用传感器) |
| 总计    | 400.0 (4次) | 80.0      |           |    | 建议进液EC: 1970, PH: 6.0 |








| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:20 | 100        | 20.0      | 0.1       | 晴  | 假设@09:20 未知程序 (未用传感器) |
| 10:35 | 100        | 20.0      | 0.1       | 晴  | 假设@10:35 未知程序 (未用传感器) |
| 12:00 | 100        | 20.0      | 0.1       | 晴  | 假设@12:00 未知程序 (未用传感器) |
| 13:25 | 100        | 20.0      | 0.1       | 晴  | 假设@13:25 未知程序 (未用传感器) |
| 总计    | 400.0 (4次) | 80.0      |           |    | 建议进液EC: 1940, PH: 6.0 |









| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:20 | 100        | 20.0      | 0.1       | 晴  | 假设@09:20 未知程序 (未用传感器) |
| 10:30 | 100        | 20.0      | 0.1       | 晴  | 假设@10:30 未知程序 (未用传感器) |
| 12:00 | 100        | 20.0      | 0.1       | 晴  | 假设@12:00 未知程序 (未用传感器) |
| 13:25 | 100        | 20.0      | 0.1       | 晴  | 假设@13:25 未知程序 (未用传感器) |
| 总计    | 400.0 (4次) | 80.0      |           |    | 建议进液EC: 1940, PH: 6.0 |







| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:20 | 100        | 20.0      | 0.1       | 晴  | 假设@09:20 未知程序 (未用传感器) |
| 10:30 | 100        | 20.0      | 0.1       | 晴  | 假设@10:30 未知程序 (未用传感器) |
| 11:55 | 100        | 20.0      | 0.1       | 晴  | 假设@11:55 未知程序 (未用传感器) |
| 13:20 | 100        | 20.0      | 0.1       | 晴  | 假设@13:20 未知程序 (未用传感器) |
| 总计    | 400.0 (4次) | 80.0      |           |    | 建议进液EC: 1940, PH: 6.0 |

