





FgArea: [' 0']
NC11 P2-14
2026-02-07 (Day 154)


fgNum 1 (at_row = 37)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-14_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-14_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	100	20.0	0.1	晴	预期@08:40 手动 (未用传感器)
10:15	100	20.0	0.1	晴	预期@10:15 手动 (未用传感器)
11:30	100	20.0	0.1	晴	预期@11:30 手动 (未用传感器)
12:30	100	20.0	0.1	晴	预期@12:30 手动 (未用传感器)
13:30	100	20.0	0.1	晴	预期@13:30 手动 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1760, PH: 6.0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.1	晴	假设@08:45 未知程序 (未用传感器)
10:20	100	20.0	0.1	晴	假设@10:20 未知程序 (未用传感器)
11:35	100	20.0	0.1	晴	假设@11:35 未知程序 (未用传感器)
12:30	100	20.0	0.1	晴	假设@12:30 未知程序 (未用传感器)
13:45	100	20.0	0.1	晴	假设@13:45 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1820, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.1	晴	假设@08:45 未知程序 (未用传感器)
10:10	100	20.0	0.1	晴	假设@10:10 未知程序 (未用传感器)
11:20	100	20.0	0.1	晴	假设@11:20 未知程序 (未用传感器)
12:15	100	20.0	0.1	晴	假设@12:15 未知程序 (未用传感器)
13:15	100	20.0	0.1	晴	假设@13:15 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1620, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.1	晴	假设@08:45 未知程序 (未用传感器)
10:15	100	20.0	0.1	晴	假设@10:15 未知程序 (未用传感器)
11:30	100	20.0	0.1	晴	假设@11:30 未知程序 (未用传感器)
12:30	100	20.0	0.1	晴	假设@12:30 未知程序 (未用传感器)
13:30	100	20.0	0.1	晴	假设@13:30 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1670, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.1	多云	假设@08:45 未知程序 (未用传感器)
10:50	100	20.0	0.1	晴	假设@10:50 未知程序 (未用传感器)
11:50	100	20.0	0.1	晴	假设@11:50 未知程序 (未用传感器)
12:50	100	20.0	0.1	晴	假设@12:50 未知程序 (未用传感器)
13:55	100	20.0	0.1	晴	假设@13:55 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1570, PH: 6.0

