





FgArea: [' 0']
NC11 P2-14
2026-03-19 (Day 194)


fgNum 1 (at_row = 37.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt ']




P2-14_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Warning: col ['PHC', 'FVIPH'] is missing





Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-14_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	77	20.0	0.1	晴	预期@07:40 手动 (未用传感器)
09:05	77	20.0	0.1	晴	预期@09:05 手动 (未用传感器)
10:30	77	20.0	0.1	晴	预期@10:30 手动 (未用传感器)
11:30	77	20.0	0.1	晴	预期@11:30 手动 (未用传感器)
12:20	77	20.0	0.1	晴	预期@12:20 手动 (未用传感器)
13:10	77	20.0	0.1	晴	预期@13:10 手动 (未用传感器)
14:05	77	20.0	0.1	晴	预期@14:05 手动 (未用传感器)
15:10	77	20.0	0.1	晴	预期@15:10 手动 (未用传感器)
总计	616.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.1	晴	假设@07:45 未知程序 (未用传感器)
09:25	77	20.0	0.1	晴	假设@09:25 未知程序 (未用传感器)
10:20	77	20.0	0.1	晴	假设@10:20 未知程序 (未用传感器)
11:05	77	20.0	0.1	晴	假设@11:05 未知程序 (未用传感器)
11:50	77	20.0	0.1	晴	假设@11:50 未知程序 (未用传感器)
12:30	77	20.0	0.1	晴	假设@12:30 未知程序 (未用传感器)
13:20	77	20.0	0.1	晴	假设@13:20 未知程序 (未用传感器)
14:20	77	20.0	0.1	晴	假设@14:20 未知程序 (未用传感器)
15:20	77	20.0	0.1	晴	假设@15:20 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.1	多云	假设@07:45 未知程序 (未用传感器)
09:30	77	20.0	0.1	阴	假设@09:30 未知程序 (未用传感器)
11:10	77	20.0	0.1	阴	假设@11:10 未知程序 (未用传感器)
12:40	77	20.0	0.1	阴	假设@12:40 未知程序 (未用传感器)
14:30	77	20.0	0.1	阴	假设@14:30 未知程序 (未用传感器)
总计	385.0 (5次)	100.0			建议进液EC: 1700, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	77	20.0	0.1	晴	假设@07:50 未知程序 (未用传感器)
09:45	77	20.0	0.1	晴	假设@09:45 未知程序 (未用传感器)
11:00	77	20.0	0.1	晴	假设@11:00 未知程序 (未用传感器)
11:55	77	20.0	0.1	晴	假设@11:55 未知程序 (未用传感器)
12:55	77	20.0	0.1	晴	假设@12:55 未知程序 (未用传感器)
13:50	77	20.0	0.1	晴	假设@13:50 未知程序 (未用传感器)
14:45	77	20.0	0.1	晴	假设@14:45 未知程序 (未用传感器)
总计	539.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	77	20.0	0.1	多云	假设@07:50 未知程序 (未用传感器)
10:00	77	20.0	0.1	晴	假设@10:00 未知程序 (未用传感器)
11:00	77	20.0	0.1	晴	假设@11:00 未知程序 (未用传感器)
11:50	77	20.0	0.1	晴	假设@11:50 未知程序 (未用传感器)
13:00	77	20.0	0.1	晴	假设@13:00 未知程序 (未用传感器)
13:50	77	20.0	0.1	晴	假设@13:50 未知程序 (未用传感器)
14:55	77	20.0	0.1	晴	假设@14:55 未知程序 (未用传感器)
总计	539.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0

