






FgArea: [' 0']
NC11 P2-14
2025-10-06 (Day 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-14_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	259	150.0	0.747	多云	预期@10:10 手动 (未用传感器)
11:45	259	150.0	0.747	多云	预期@11:45 手动 (未用传感器)
总计	518.0 (2次)	300.0			建议进液EC: 1990, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	246	150.0	0.747	阴	假设@10:10 未知程序 (未用传感器)
总计	246.0 (1次)	150.0			建议进液EC: 1810, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	246	150.0	0.747	晴	假设@10:10 未知程序 (未用传感器)
12:20	246	150.0	0.747	多云	假设@12:20 未知程序 (未用传感器)
总计	492.0 (2次)	300.0			建议进液EC: 1920, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	246	150.0	0.747	晴	假设@10:05 未知程序 (未用传感器)
12:00	246	150.0	0.747	晴	假设@12:00 未知程序 (未用传感器)
总计	492.0 (2次)	300.0			建议进液EC: 1910, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	246	150.0	0.747	晴	假设@10:05 未知程序 (未用传感器)
12:20	246	150.0	0.747	晴	假设@12:20 未知程序 (未用传感器)
总计	492.0 (2次)	300.0			建议进液EC: 1230, PH: 6.5

