






FgArea: [ ' 0' ]  
NC11 P2-14  
2025-10-14 (Day 38)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-14\_0







# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	263	150.0	0.747	晴	预期@09:45 手动 (未用传感器)
10:55	263	150.0	0.747	晴	预期@10:55 手动 (未用传感器)
13:20	263	150.0	0.747	晴	预期@13:20 手动 (未用传感器)
总计	789.0 (3次)	450.0			建议进液EC: 1980, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	283	150.0	0.747	晴	假设@10:20 未知程序(未用传感器)
11:25	283	150.0	0.747	晴	假设@11:25 未知程序(未用传感器)
13:10	283	150.0	0.747	晴	假设@13:10 未知程序(未用传感器)
总计	849.0 (3次)	450.0			建议进液EC: 2270, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	273	150.0	0.747	阴	假设@10:25 未知程序 (未用传感器)
总计	273.0 (1次)	150.0			建议进液EC: 2020, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	273	150.0	0.747	阴	假设@10:15 未知程序 (未用传感器)
总计	273.0 (1次)	150.0			建议进液EC: 1980, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	273	150.0	0.747	阴	假设@10:15 未知程序 (未用传感器)
总计	273.0 (1次)	150.0			建议进液EC: 1920, PH: 6.5

