






FgArea: ['0']  
NC11 P2-14  
2025-10-17 (Day 41)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-14\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	69	40.0	0.199	阴	预期@08:25 手动 (未用传感器)
08:55	69	40.0	0.199	阴	预期@08:55 手动 (未用传感器)
09:25	69	40.0	0.199	阴	预期@09:25 手动 (未用传感器)
10:05	69	40.0	0.199	阴	预期@10:05 手动 (未用传感器)
10:55	69	40.0	0.199	阴	预期@10:55 手动 (未用传感器)
11:40	69	40.0	0.199	阴	预期@11:40 手动 (未用传感器)
12:25	69	40.0	0.199	阴	预期@12:25 手动 (未用传感器)
13:05	69	40.0	0.199	阴	预期@13:05 手动 (未用传感器)
13:50	69	40.0	0.199	阴	预期@13:50 手动 (未用传感器)
14:35	69	40.0	0.199	阴	预期@14:35 手动 (未用传感器)
总计	690.0 (10次)	400.0			建议进液EC: 2230, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	69	40.0	0.199	阴	假设@10:25 未知程序(未用传感器)
12:15	69	40.0	0.199	阴	假设@12:15 未知程序(未用传感器)
13:50	69	40.0	0.199	多云	假设@13:50 未知程序(未用传感器)
总计	207.0 (3次)	120.0			建议进液EC: 2210, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	70	40.0	0.199	阴	假设@10:20 未知程序 (未用传感器)
11:10	70	40.0	0.199	阴	假设@11:10 未知程序 (未用传感器)
11:55	70	40.0	0.199	阴	假设@11:55 未知程序 (未用传感器)
12:40	70	40.0	0.199	阴	假设@12:40 未知程序 (未用传感器)
13:25	70	40.0	0.199	阴	假设@13:25 未知程序 (未用传感器)
总计	350.0 (5次)	200.0			建议进液EC: 2180, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	73	40.0	0.199	晴	假设@08:05 未知程序 (未用传感器)
08:40	73	40.0	0.199	晴	假设@08:40 未知程序 (未用传感器)
09:15	73	40.0	0.199	晴	假设@09:15 未知程序 (未用传感器)
10:05	73	40.0	0.199	晴	假设@10:05 未知程序 (未用传感器)
10:50	73	40.0	0.199	晴	假设@10:50 未知程序 (未用传感器)
11:30	73	40.0	0.199	晴	假设@11:30 未知程序 (未用传感器)
12:10	73	40.0	0.199	晴	假设@12:10 未知程序 (未用传感器)
12:50	73	40.0	0.199	晴	假设@12:50 未知程序 (未用传感器)
13:30	73	40.0	0.199	晴	假设@13:30 未知程序 (未用传感器)
14:10	73	40.0	0.199	晴	假设@14:10 未知程序 (未用传感器)
15:00	73	40.0	0.199	晴	假设@15:00 未知程序 (未用传感器)
总计	803.0 (11次)	440.0			建议进液EC: 1980, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	75	40.0	0.199	雾	假设@08:10 未知程序 (未用传感器)
08:40	75	40.0	0.199	雾	假设@08:40 未知程序 (未用传感器)
09:10	75	40.0	0.199	晴	假设@09:10 未知程序 (未用传感器)
09:40	75	40.0	0.199	晴	假设@09:40 未知程序 (未用传感器)
10:10	75	40.0	0.199	晴	假设@10:10 未知程序 (未用传感器)
10:45	75	40.0	0.199	晴	假设@10:45 未知程序 (未用传感器)
11:20	75	40.0	0.199	晴	假设@11:20 未知程序 (未用传感器)
11:50	75	40.0	0.199	晴	假设@11:50 未知程序 (未用传感器)
12:20	75	40.0	0.199	晴	假设@12:20 未知程序 (未用传感器)
12:50	75	40.0	0.199	晴	假设@12:50 未知程序 (未用传感器)
13:20	75	40.0	0.199	晴	假设@13:20 未知程序 (未用传感器)
13:55	75	40.0	0.199	晴	假设@13:55 未知程序 (未用传感器)
14:30	75	40.0	0.199	晴	假设@14:30 未知程序 (未用传感器)
15:05	75	40.0	0.199	晴	假设@15:05 未知程序 (未用传感器)
总计	1050.0 (14次)	560.0			建议进液EC: 2270, PH: 6.5

