






FgArea: [' 0']
NC11 P2-14
2025-10-19 (Day 43)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-14_0







FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	74	40.0	0.199	多云	预期@08:10 手动 (未用传感器)
08:40	74	40.0	0.199	多云	预期@08:40 手动 (未用传感器)
09:10	74	40.0	0.199	多云	预期@09:10 手动 (未用传感器)
09:55	74	40.0	0.199	多云	预期@09:55 手动 (未用传感器)
10:40	74	40.0	0.199	多云	预期@10:40 手动 (未用传感器)
11:25	74	40.0	0.199	晴	预期@11:25 手动 (未用传感器)
12:05	74	40.0	0.199	晴	预期@12:05 手动 (未用传感器)
12:45	74	40.0	0.199	晴	预期@12:45 手动 (未用传感器)
13:25	74	40.0	0.199	晴	预期@13:25 手动 (未用传感器)
14:05	74	40.0	0.199	晴	预期@14:05 手动 (未用传感器)
14:50	74	40.0	0.199	晴	预期@14:50 手动 (未用传感器)
总计	814.0 (11次)	440.0			建议进液EC: 2170, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	70	40.0	0.199	晴	假设@08:20 未知程序 (未用传感器)
08:55	70	40.0	0.199	晴	假设@08:55 未知程序 (未用传感器)
09:25	70	40.0	0.199	晴	假设@09:25 未知程序 (未用传感器)
10:05	70	40.0	0.199	晴	假设@10:05 未知程序 (未用传感器)
10:40	70	40.0	0.199	晴	假设@10:40 未知程序 (未用传感器)
11:20	70	40.0	0.199	晴	假设@11:20 未知程序 (未用传感器)
11:55	70	40.0	0.199	晴	假设@11:55 未知程序 (未用传感器)
12:30	70	40.0	0.199	晴	假设@12:30 未知程序 (未用传感器)
13:15	70	40.0	0.199	晴	假设@13:15 未知程序 (未用传感器)
14:00	70	40.0	0.199	晴	假设@14:00 未知程序 (未用传感器)
14:55	70	40.0	0.199	晴	假设@14:55 未知程序 (未用传感器)
总计	770.0 (11次)	440.0			建议进液EC: 2200, PH: 6.5

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	70	40.0	0.199	阴	假设@11:25 未知程序 (未用传感器)
12:15	70	40.0	0.199	阴	假设@12:15 未知程序 (未用传感器)
12:45	70	40.0	0.199	阴	假设@12:45 未知程序 (未用传感器)
13:15	70	40.0	0.199	阴	假设@13:15 未知程序 (未用传感器)
14:00	70	40.0	0.199	阴	假设@14:00 未知程序 (未用传感器)
总计	350.0 (5次)	200.0			建议进液EC: 2230, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	69	40.0	0.199	阴	假设@10:20 未知程序(未用传感器)
12:15	69	40.0	0.199	阴	假设@12:15 未知程序(未用传感器)
13:50	69	40.0	0.199	多云	假设@13:50 未知程序(未用传感器)
总计	207.0 (3次)	120.0			建议进液EC: 2210, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	70	40.0	0.199	阴	假设@10:20 未知程序 (未用传感器)
11:10	70	40.0	0.199	阴	假设@11:10 未知程序 (未用传感器)
11:55	70	40.0	0.199	阴	假设@11:55 未知程序 (未用传感器)
12:40	70	40.0	0.199	阴	假设@12:40 未知程序 (未用传感器)
13:25	70	40.0	0.199	阴	假设@13:25 未知程序 (未用传感器)
总计	350.0 (5次)	200.0			建议进液EC: 2180, PH: 6.5

