





FgArea: [ ' 0' ]  
NC11 P2-14  
2025-12-13 (Day 98)


fgNum 1 (at\_row = 37)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-14\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:50	105	20.0	0.1	多云	预期@10:50 手动 (未用传感器)
11:30	105	20.0	0.1	晴	预期@11:30 手动 (未用传感器)
12:50	105	20.0	0.1	晴	预期@12:50 手动 (未用传感器)
14:15	105	20.0	0.1	晴	预期@14:15 手动 (未用传感器)
总计	420.0 (4次)	80.0			建议进液EC: 2060, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1920, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	105	20.0	0.1	晴	假设@10:05 未知程序(未用传感器)
11:05	105	20.0	0.1	晴	假设@11:05 未知程序(未用传感器)
12:40	105	20.0	0.1	多云	假设@12:40 未知程序(未用传感器)
总计	315.0 (3次)	60.0			建议进液EC: 2030, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	105	20.0	0.1	晴	假设@10:25 未知程序(未用传感器)
11:20	105	20.0	0.1	晴	假设@11:20 未知程序(未用传感器)
12:55	105	20.0	0.1	晴	假设@12:55 未知程序(未用传感器)
总计	315.0 (3次)	60.0			建议进液EC: 1980, PH: 6.0

