





FgArea: [' 0']
NC11 P2-15
2025-12-17 (Day 102)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]






Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-15_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	95	20.0	0.113	晴	预期@10:15 手动 (未用传感器)
11:05	95	20.0	0.113	晴	预期@11:05 手动 (未用传感器)
12:20	95	20.0	0.113	晴	预期@12:20 手动 (未用传感器)
13:35	95	20.0	0.113	晴	预期@13:35 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1990, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	100	20.0	0.113	多云	假设@10:00 未知程序(未用传感器)
11:00	100	20.0	0.113	晴	假设@11:00 未知程序(未用传感器)
12:10	100	20.0	0.113	晴	假设@12:10 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	100	20.0	0.113	晴	假设@10:10 未知程序(未用传感器)
11:10	100	20.0	0.113	晴	假设@11:10 未知程序(未用传感器)
12:30	100	20.0	0.113	晴	假设@12:30 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2000, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:15	100	20.0	0.113	晴	假设@11:15 未知程序(未用传感器)
12:00	100	20.0	0.113	晴	假设@12:00 未知程序(未用传感器)
13:10	100	20.0	0.113	晴	假设@13:10 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2010, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:45	100	20.0	0.113	阴	假设@11:45 未知程序 (未用传感器)
总计	100.0 (1次)	20.0			建议进液EC: 2050, PH: 6.0

