





FgArea: [ ' 0' ]  
NC11 P2-15  
2026-01-20 (Day 136)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-15\_0







# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	50	10.0	0.056	晴	预期@08:25 手动 (未用传感器)
10:05	50	10.0	0.056	晴	预期@10:05 手动 (未用传感器)
10:35	50	10.0	0.056	晴	预期@10:35 手动 (未用传感器)
11:20	50	10.0	0.056	晴	预期@11:20 手动 (未用传感器)
12:15	50	10.0	0.056	晴	预期@12:15 手动 (未用传感器)
13:10	50	10.0	0.056	晴	预期@13:10 手动 (未用传感器)
14:10	50	10.0	0.056	晴	预期@14:10 手动 (未用传感器)
总计	350.0 (7次)	70.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	100	20.0	0.113	晴	假设@09:50 未知程序 (未用传感器)
10:45	100	20.0	0.113	晴	假设@10:45 未知程序 (未用传感器)
12:10	100	20.0	0.113	晴	假设@12:10 未知程序 (未用传感器)
13:25	100	20.0	0.113	晴	假设@13:25 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1850, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	100	20.0	0.113	阴	假设@10:15 未知程序 (未用传感器)
总计	100.0 (1次)	20.0			建议进液EC: 1890, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	100	20.0	0.113	阴	假设@09:35 未知程序 (未用传感器)
13:15	100	20.0	0.113	晴	假设@13:15 未知程序 (未用传感器)
总计	200.0 (2次)	40.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	100	20.0	0.113	多云	假设@10:15 未知程序(未用传感器)
11:00	100	20.0	0.113	晴	假设@11:00 未知程序(未用传感器)
12:35	100	20.0	0.113	晴	假设@12:35 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1850, PH: 6.0

