





FgArea: [' 0']
NC11 P2-15
2026-02-12 (Day 159)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-15_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-15_0







FgDaily














| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:35 | 95 | 20.0 | 0.113 | 晴 | 预期@08:35 手动 (未用传感器) |
| 10:40 | 95 | 20.0 | 0.113 | 晴 | 预期@10:40 手动 (未用传感器) |
| 11:50 | 95 | 20.0 | 0.113 | 晴 | 预期@11:50 手动 (未用传感器) |
| 12:55 | 95 | 20.0 | 0.113 | 晴 | 预期@12:55 手动 (未用传感器) |
| 14:00 | 95 | 20.0 | 0.113 | 晴 | 预期@14:00 手动 (未用传感器) |
| 总计 | 475.0 (5次) | 100.0 | | | 建议进液EC: 1670, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:35 | 95 | 20.0 | 0.113 | 晴 | 假设@08:35 未知程序 (未用传感器) |
| 10:15 | 95 | 20.0 | 0.113 | 晴 | 假设@10:15 未知程序 (未用传感器) |
| 11:30 | 95 | 20.0 | 0.113 | 晴 | 假设@11:30 未知程序 (未用传感器) |
| 12:35 | 95 | 20.0 | 0.113 | 多云 | 假设@12:35 未知程序 (未用传感器) |
| 总计 | 380.0 (4次) | 80.0 | | | 建议进液EC: 1750, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:40 | 95 | 20.0 | 0.113 | 多云 | 假设@08:40 未知程序 (未用传感器) |
| 10:00 | 95 | 20.0 | 0.113 | 多云 | 假设@10:00 未知程序 (未用传感器) |
| 11:10 | 95 | 20.0 | 0.113 | 晴 | 假设@11:10 未知程序 (未用传感器) |
| 12:10 | 95 | 20.0 | 0.113 | 晴 | 假设@12:10 未知程序 (未用传感器) |
| 13:05 | 95 | 20.0 | 0.113 | 晴 | 假设@13:05 未知程序 (未用传感器) |
| 14:00 | 95 | 20.0 | 0.113 | 晴 | 假设@14:00 未知程序 (未用传感器) |
| 15:00 | 95 | 20.0 | 0.113 | 晴 | 假设@15:00 未知程序 (未用传感器) |
| 总计 | 665.0 (7次) | 140.0 | | | 建议进液EC: 1490, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:40 | 100 | 20.0 | 0.113 | 晴 | 假设@08:40 未知程序 (未用传感器) |
| 09:50 | 100 | 20.0 | 0.113 | 多云 | 假设@09:50 未知程序 (未用传感器) |
| 11:05 | 100 | 20.0 | 0.113 | 晴 | 假设@11:05 未知程序 (未用传感器) |
| 12:05 | 100 | 20.0 | 0.113 | 晴 | 假设@12:05 未知程序 (未用传感器) |
| 13:00 | 100 | 20.0 | 0.113 | 晴 | 假设@13:00 未知程序 (未用传感器) |
| 总计 | 500.0 (5次) | 100.0 | | | 建议进液EC: 1530, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:40 | 100 | 20.0 | 0.113 | 多云 | 假设@08:40 未知程序 (未用传感器) |
| 10:10 | 100 | 20.0 | 0.113 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 11:20 | 100 | 20.0 | 0.113 | 晴 | 假设@11:20 未知程序 (未用传感器) |
| 12:20 | 100 | 20.0 | 0.113 | 晴 | 假设@12:20 未知程序 (未用传感器) |
| 13:15 | 100 | 20.0 | 0.113 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 14:15 | 100 | 20.0 | 0.113 | 晴 | 假设@14:15 未知程序 (未用传感器) |
| 总计 | 600.0 (6次) | 120.0 | | | 建议进液EC: 1500, PH: 6.0 |

