





FgArea: [' 0']
NC11 P2-15
2026-03-12 (Day 187)


fgNum 1 (at_row = 45.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-15_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-15_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	77	20.0	0.113	多云	预期@07:55 手动 (未用传感器)
09:15	77	20.0	0.113	多云	预期@09:15 手动 (未用传感器)
10:30	77	20.0	0.113	多云	预期@10:30 手动 (未用传感器)
11:25	77	20.0	0.113	阴	预期@11:25 手动 (未用传感器)
12:15	77	20.0	0.113	阴	预期@12:15 手动 (未用传感器)
13:00	77	20.0	0.113	多云	预期@13:00 手动 (未用传感器)
13:50	77	20.0	0.113	多云	预期@13:50 手动 (未用传感器)
14:45	77	20.0	0.113	多云	预期@14:45 手动 (未用传感器)
总计	616.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	74	20.0	0.113	晴	假设@07:55 未知程序 (未用传感器)
09:15	74	20.0	0.113	晴	假设@09:15 未知程序 (未用传感器)
10:15	74	20.0	0.113	晴	假设@10:15 未知程序 (未用传感器)
11:00	74	20.0	0.113	晴	假设@11:00 未知程序 (未用传感器)
11:50	74	20.0	0.113	晴	假设@11:50 未知程序 (未用传感器)
12:45	74	20.0	0.113	晴	假设@12:45 未知程序 (未用传感器)
13:25	74	20.0	0.113	晴	假设@13:25 未知程序 (未用传感器)
14:05	74	20.0	0.113	晴	假设@14:05 未知程序 (未用传感器)
14:50	74	20.0	0.113	晴	假设@14:50 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	74	20.0	0.113	晴	假设@08:00 未知程序 (未用传感器)
09:35	74	20.0	0.113	晴	假设@09:35 未知程序 (未用传感器)
11:00	74	20.0	0.113	晴	假设@11:00 未知程序 (未用传感器)
12:00	74	20.0	0.113	晴	假设@12:00 未知程序 (未用传感器)
12:40	74	20.0	0.113	晴	假设@12:40 未知程序 (未用传感器)
13:20	74	20.0	0.113	晴	假设@13:20 未知程序 (未用传感器)
14:00	74	20.0	0.113	晴	假设@14:00 未知程序 (未用传感器)
14:45	74	20.0	0.113	晴	假设@14:45 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	77	20.0	0.113	晴	假设@08:00 未知程序 (未用传感器)
09:15	77	20.0	0.113	晴	假设@09:15 未知程序 (未用传感器)
10:10	77	20.0	0.113	晴	假设@10:10 未知程序 (未用传感器)
11:20	77	20.0	0.113	晴	假设@11:20 未知程序 (未用传感器)
12:05	77	20.0	0.113	晴	假设@12:05 未知程序 (未用传感器)
12:40	77	20.0	0.113	晴	假设@12:40 未知程序 (未用传感器)
13:15	77	20.0	0.113	晴	假设@13:15 未知程序 (未用传感器)
13:50	77	20.0	0.113	晴	假设@13:50 未知程序 (未用传感器)
14:30	77	20.0	0.113	晴	假设@14:30 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	77	20.0	0.113	雾	假设@08:00 未知程序 (未用传感器)
09:35	77	20.0	0.113	雾	假设@09:35 未知程序 (未用传感器)
11:00	77	20.0	0.113	晴	假设@11:00 未知程序 (未用传感器)
11:40	77	20.0	0.113	晴	假设@11:40 未知程序 (未用传感器)
12:15	77	20.0	0.113	晴	假设@12:15 未知程序 (未用传感器)
12:45	77	20.0	0.113	晴	假设@12:45 未知程序 (未用传感器)
13:20	77	20.0	0.113	晴	假设@13:20 未知程序 (未用传感器)
13:55	77	20.0	0.113	晴	假设@13:55 未知程序 (未用传感器)
14:35	77	20.0	0.113	晴	假设@14:35 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0

