





FgArea: [ ' 0' ]  
NC11 P2-15  
2026-03-28 (Day 203)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [' ECopt ']







Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [ 'ECC:b-o', 'FVIEC:r-o', 'ECI:g-o' ]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-15\_0








# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	115	30.0	0.169	晴	预期@07:25 手动 (未用传感器)
09:25	115	30.0	0.169	晴	预期@09:25 手动 (未用传感器)
10:40	115	30.0	0.169	晴	预期@10:40 手动 (未用传感器)
11:40	115	30.0	0.169	晴	预期@11:40 手动 (未用传感器)
12:35	115	30.0	0.169	晴	预期@12:35 手动 (未用传感器)
13:25	115	30.0	0.169	晴	预期@13:25 手动 (未用传感器)
14:25	115	30.0	0.169	晴	预期@14:25 手动 (未用传感器)
总计	805.0 (7次)	210.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	115	30.0	0.169	多云	假设@07:30 未知程序 (未用传感器)
09:35	115	30.0	0.169	晴	假设@09:35 未知程序 (未用传感器)
10:30	115	30.0	0.169	晴	假设@10:30 未知程序 (未用传感器)
11:20	115	30.0	0.169	晴	假设@11:20 未知程序 (未用传感器)
12:00	115	30.0	0.169	晴	假设@12:00 未知程序 (未用传感器)
12:35	115	30.0	0.169	晴	假设@12:35 未知程序 (未用传感器)
13:15	115	30.0	0.169	晴	假设@13:15 未知程序 (未用传感器)
13:55	115	30.0	0.169	晴	假设@13:55 未知程序 (未用传感器)
14:45	115	30.0	0.169	晴	假设@14:45 未知程序 (未用传感器)
16:00	115	30.0	0.169	晴	假设@16:00 未知程序 (未用传感器)
总计	1150.0 (10次)	300.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	115	30.0	0.169	晴	假设@07:30 未知程序 (未用传感器)
09:45	115	30.0	0.169	多云	假设@09:45 未知程序 (未用传感器)
10:40	115	30.0	0.169	多云	假设@10:40 未知程序 (未用传感器)
11:25	115	30.0	0.169	晴	假设@11:25 未知程序 (未用传感器)
12:05	115	30.0	0.169	晴	假设@12:05 未知程序 (未用传感器)
12:45	115	30.0	0.169	晴	假设@12:45 未知程序 (未用传感器)
13:30	115	30.0	0.169	晴	假设@13:30 未知程序 (未用传感器)
14:15	115	30.0	0.169	晴	假设@14:15 未知程序 (未用传感器)
15:10	115	30.0	0.169	晴	假设@15:10 未知程序 (未用传感器)
总计	1035.0 (9次)	270.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	111	30.0	0.169	雾	假设@07:30 未知程序 (未用传感器)
09:05	111	30.0	0.169	阴	假设@09:05 未知程序 (未用传感器)
10:05	111	30.0	0.169	晴	假设@10:05 未知程序 (未用传感器)
10:55	111	30.0	0.169	晴	假设@10:55 未知程序 (未用传感器)
11:40	111	30.0	0.169	晴	假设@11:40 未知程序 (未用传感器)
12:20	111	30.0	0.169	晴	假设@12:20 未知程序 (未用传感器)
13:00	111	30.0	0.169	晴	假设@13:00 未知程序 (未用传感器)
13:35	111	30.0	0.169	晴	假设@13:35 未知程序 (未用传感器)
14:20	111	30.0	0.169	晴	假设@14:20 未知程序 (未用传感器)
15:10	111	30.0	0.169	晴	假设@15:10 未知程序 (未用传感器)
总计	1110.0 (10次)	300.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	111	30.0	0.169	晴	假设@07:35 未知程序 (未用传感器)
10:05	111	30.0	0.169	晴	假设@10:05 未知程序 (未用传感器)
11:10	111	30.0	0.169	晴	假设@11:10 未知程序 (未用传感器)
12:05	111	30.0	0.169	晴	假设@12:05 未知程序 (未用传感器)
13:00	111	30.0	0.169	晴	假设@13:00 未知程序 (未用传感器)
13:45	111	30.0	0.169	晴	假设@13:45 未知程序 (未用传感器)
14:35	111	30.0	0.169	晴	假设@14:35 未知程序 (未用传感器)
15:45	111	30.0	0.169	晴	假设@15:45 未知程序 (未用传感器)
总计	888.0 (8次)	240.0			建议进液EC: 1440, PH: 6.0



