






FgArea: [' 0']
NC11 P2-15
2025-10-05 (Day 29)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-15_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	283	150.0	0.846	多云	预期@10:10 手动 (未用传感器)
11:40	283	150.0	0.846	多云	预期@11:40 手动 (未用传感器)
总计	566.0 (2次)	300.0			建议进液EC: 1750, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	250	150.0	0.846	晴	假设@10:10 未知程序 (未用传感器)
12:20	250	150.0	0.846	多云	假设@12:20 未知程序 (未用传感器)
总计	500.0 (2次)	300.0			建议进液EC: 1810, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	250	150.0	0.846	晴	假设@10:05 未知程序 (未用传感器)
12:10	250	150.0	0.846	晴	假设@12:10 未知程序 (未用传感器)
总计	500.0 (2次)	300.0			建议进液EC: 1860, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	231	150.0	0.846	晴	假设@10:05 未知程序 (未用传感器)
12:25	231	150.0	0.846	晴	假设@12:25 未知程序 (未用传感器)
总计	462.0 (2次)	300.0			建议进液EC: 1220, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	208	150.0	0.846	晴	假设@10:05 未知程序 (未用传感器)
11:30	208	150.0	0.846	晴	假设@11:30 未知程序 (未用传感器)
总计	416.0 (2次)	300.0			建议进液EC: 910, PH: 6.5

