






FgArea: [ ' 0' ]  
NC11 P2-15  
2025-10-11 (Day 35)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-15\_0







# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	254	150.0	0.846	多云	预期@10:15 手动 (未用传感器)
11:15	254	150.0	0.846	晴	预期@11:15 手动 (未用传感器)
13:05	254	150.0	0.846	晴	预期@13:05 手动 (未用传感器)
15:05	254	150.0	0.846	晴	预期@15:05 手动 (未用传感器)
总计	1016.0 (4次)	600.0			建议进液EC: 2100, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	259	150.0	0.846	阴	假设@10:15 未知程序 (未用传感器)
总计	259.0 (1次)	150.0			建议进液EC: 1930, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1870, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1920, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	263	150.0	0.846	晴	假设@10:10 未知程序 (未用传感器)
13:15	263	150.0	0.846	晴	假设@13:15 未知程序 (未用传感器)
总计	526.0 (2次)	300.0			建议进液EC: 1910, PH: 6.5

