






FgArea: [' 0']
NC11 P2-15
2025-10-15 (Day 39)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-15_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	250	150.0	0.846	阴	预期@10:20 手动 (未用传感器)
11:45	250	150.0	0.846	阴	预期@11:45 手动 (未用传感器)
总计	500.0 (2次)	300.0			建议进液EC: 2130, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	250	150.0	0.846	晴	假设@10:20 未知程序 (未用传感器)
12:05	250	150.0	0.846	晴	假设@12:05 未知程序 (未用传感器)
总计	500.0 (2次)	300.0			建议进液EC: 1900, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	250	150.0	0.846	晴	假设@10:20 未知程序(未用传感器)
11:20	250	150.0	0.846	晴	假设@11:20 未知程序(未用传感器)
12:55	250	150.0	0.846	晴	假设@12:55 未知程序(未用传感器)
总计	750.0 (3次)	450.0			建议进液EC: 2120, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	250	150.0	0.846	阴	假设@10:15 未知程序 (未用传感器)
总计	250.0 (1次)	150.0			建议进液EC: 2100, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	254	150.0	0.846	阴	假设@10:15 未知程序 (未用传感器)
12:30	254	150.0	0.846	阴	假设@12:30 未知程序 (未用传感器)
总计	508.0 (2次)	300.0			建议进液EC: 2100, PH: 6.5

