





FgArea: [ ' 0' ]  
NC11 P2-15  
2025-12-06 (Day 91)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-15\_0







# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.113	晴	预期@08:20 手动 (未用传感器)
08:55	100	20.0	0.113	晴	预期@08:55 手动 (未用传感器)
09:30	100	20.0	0.113	晴	预期@09:30 手动 (未用传感器)
10:05	100	20.0	0.113	晴	预期@10:05 手动 (未用传感器)
10:40	100	20.0	0.113	晴	预期@10:40 手动 (未用传感器)
11:35	100	20.0	0.113	晴	预期@11:35 手动 (未用传感器)
12:40	100	20.0	0.113	晴	预期@12:40 手动 (未用传感器)
13:45	100	20.0	0.113	晴	预期@13:45 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1980, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	100	20.0	0.113	多云	假设@09:05 未知程序 (未用传感器)
09:55	100	20.0	0.113	多云	假设@09:55 未知程序 (未用传感器)
10:45	100	20.0	0.113	阴	假设@10:45 未知程序 (未用传感器)
11:35	100	20.0	0.113	多云	假设@11:35 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1980, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	100	20.0	0.113	晴	假设@08:50 未知程序 (未用传感器)
09:30	100	20.0	0.113	晴	假设@09:30 未知程序 (未用传感器)
10:10	100	20.0	0.113	晴	假设@10:10 未知程序 (未用传感器)
10:50	100	20.0	0.113	晴	假设@10:50 未知程序 (未用传感器)
11:30	100	20.0	0.113	晴	假设@11:30 未知程序 (未用传感器)
12:25	100	20.0	0.113	晴	假设@12:25 未知程序 (未用传感器)
13:50	100	20.0	0.113	晴	假设@13:50 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1910, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.113	晴	假设@08:25 未知程序 (未用传感器)
09:10	100	20.0	0.113	晴	假设@09:10 未知程序 (未用传感器)
09:55	100	20.0	0.113	晴	假设@09:55 未知程序 (未用传感器)
10:40	100	20.0	0.113	晴	假设@10:40 未知程序 (未用传感器)
11:25	100	20.0	0.113	晴	假设@11:25 未知程序 (未用传感器)
12:20	100	20.0	0.113	晴	假设@12:20 未知程序 (未用传感器)
13:40	100	20.0	0.113	晴	假设@13:40 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1970, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.113	晴	假设@08:20 未知程序 (未用传感器)
09:05	100	20.0	0.113	晴	假设@09:05 未知程序 (未用传感器)
09:50	100	20.0	0.113	晴	假设@09:50 未知程序 (未用传感器)
10:35	100	20.0	0.113	晴	假设@10:35 未知程序 (未用传感器)
11:20	100	20.0	0.113	晴	假设@11:20 未知程序 (未用传感器)
12:10	100	20.0	0.113	晴	假设@12:10 未知程序 (未用传感器)
13:25	100	20.0	0.113	晴	假设@13:25 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1990, PH: 6.0

