





FgArea: [' 0']
NC11 P2-16
2025-12-16 (Day 101)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot forP2-16_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	95	20.0	0.125	晴	预期@09:25 手动 (未用传感器)
10:15	95	20.0	0.125	晴	预期@10:15 手动 (未用传感器)
11:30	95	20.0	0.125	晴	预期@11:30 手动 (未用传感器)
12:40	95	20.0	0.125	晴	预期@12:40 手动 (未用传感器)
13:45	95	20.0	0.125	晴	预期@13:45 手动 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1970, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	95	20.0	0.125	晴	假设@10:00 未知程序(未用传感器)
10:50	95	20.0	0.125	晴	假设@10:50 未知程序(未用传感器)
12:15	95	20.0	0.125	晴	假设@12:15 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1960, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	95	20.0	0.125	晴	假设@10:45 未知程序(未用传感器)
11:35	95	20.0	0.125	晴	假设@11:35 未知程序(未用传感器)
12:45	95	20.0	0.125	晴	假设@12:45 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1970, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:40	95	20.0	0.125	阴	假设@11:40 未知程序 (未用传感器)
12:30	95	20.0	0.125	阴	假设@12:30 未知程序 (未用传感器)
总计	190.0 (2次)	40.0			建议进液EC: 2030, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1970, PH: 6.0

