





FgArea: [' 0']
NC11 P2-16
2026-01-01 (Day 117)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN




Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa



Trend plot forP2-16_0




FgDaily







0
6
12
18
24
30
36
42
48
54
60
66
72
78
84
90
96
102
108
114


回液PH差
设置PH
回液EC差
进液PH
PH执行
设置EC
回液EC
回液PH
母液EC
进液EC
EC执行
母液PH
排灌比
流量比较
scTgtECO
scSum

100
80
60
40
20
0













| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:40 | 143 | 30.0 | 0.187 | 晴 | 预期@10:40 手动 (未用传感器) |
| 11:40 | 143 | 30.0 | 0.187 | 晴 | 预期@11:40 手动 (未用传感器) |
| 13:10 | 143 | 30.0 | 0.187 | 晴 | 预期@13:10 手动 (未用传感器) |
| 总计 | 429.0 (3次) | 90.0 | | | 建议进液EC: 1940, PH: 6.0 |




| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:30 | 95 | 20.0 | 0.125 | 晴 | 假设@09:30 未知程序 (未用传感器) |
| 10:30 | 95 | 20.0 | 0.125 | 晴 | 假设@10:30 未知程序 (未用传感器) |
| 11:45 | 95 | 20.0 | 0.125 | 晴 | 假设@11:45 未知程序 (未用传感器) |
| 12:55 | 95 | 20.0 | 0.125 | 晴 | 假设@12:55 未知程序 (未用传感器) |
| 总计 | 380.0 (4次) | 80.0 | | | 建议进液EC: 1930, PH: 6.0 |










| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:25 | 95 | 20.0 | 0.125 | 晴 | 假设@10:25 未知程序(未用传感器) |
| 11:20 | 95 | 20.0 | 0.125 | 晴 | 假设@11:20 未知程序(未用传感器) |
| 12:35 | 95 | 20.0 | 0.125 | 晴 | 假设@12:35 未知程序(未用传感器) |
| 总计 | 285.0 (3次) | 60.0 | | | 建议进液EC: 1900, PH: 6.0 |



| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:30 | 95 | 20.0 | 0.125 | 雾 | 假设@09:30 未知程序 (未用传感器) |
| 10:35 | 95 | 20.0 | 0.125 | 晴 | 假设@10:35 未知程序 (未用传感器) |
| 11:55 | 95 | 20.0 | 0.125 | 晴 | 假设@11:55 未知程序 (未用传感器) |
| 13:20 | 95 | 20.0 | 0.125 | 晴 | 假设@13:20 未知程序 (未用传感器) |
| 总计 | 380.0 (4次) | 80.0 | | | 建议进液EC: 1940, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-----------|-----------|-----------|----|-----------------------|
| 09:30 | 95 | 20.0 | 0.125 | 多云 | 假设@09:30 未知程序 (未用传感器) |
| 总计 | 95.0 (1次) | 20.0 | | | 建议进液EC: 1980, PH: 6.0 |

