





FgArea: [' 0']
NC11 P2-16
2026-01-03 (Day 119)


fgNum 1 (at_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Warning: col ['PHC', 'FVIPH'] is missing





Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-16_0







FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.125	晴	预期@09:30 手动 (未用传感器)
10:25	95	20.0	0.125	晴	预期@10:25 手动 (未用传感器)
11:30	95	20.0	0.125	晴	预期@11:30 手动 (未用传感器)
12:25	95	20.0	0.125	晴	预期@12:25 手动 (未用传感器)
13:25	95	20.0	0.125	晴	预期@13:25 手动 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1460, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.125	晴	假设@09:30 未知程序 (未用传感器)
10:25	95	20.0	0.125	晴	假设@10:25 未知程序 (未用传感器)
11:35	95	20.0	0.125	晴	假设@11:35 未知程序 (未用传感器)
12:35	95	20.0	0.125	晴	假设@12:35 未知程序 (未用传感器)
13:40	95	20.0	0.125	晴	假设@13:40 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1950, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.125	晴	假设@09:30 未知程序 (未用传感器)
10:25	95	20.0	0.125	晴	假设@10:25 未知程序 (未用传感器)
11:35	95	20.0	0.125	晴	假设@11:35 未知程序 (未用传感器)
12:40	95	20.0	0.125	晴	假设@12:40 未知程序 (未用传感器)
13:50	95	20.0	0.125	晴	假设@13:50 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1940, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.125	晴	假设@09:30 未知程序 (未用传感器)
10:30	95	20.0	0.125	晴	假设@10:30 未知程序 (未用传感器)
11:40	95	20.0	0.125	晴	假设@11:40 未知程序 (未用传感器)
12:55	95	20.0	0.125	晴	假设@12:55 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1930, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:30	95	20.0	0.125	晴	假设@10:30 未知程序(未用传感器)
11:25	95	20.0	0.125	晴	假设@11:25 未知程序(未用传感器)
12:35	95	20.0	0.125	晴	假设@12:35 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1900, PH: 6.0

