





FgArea: [' 0' ]  
NC11 P2-16  
2026-02-17 (Day 164)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [' ECopt ']




P2-16\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-16\_0





















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	91	20.0	0.125	晴	预期@08:30 手动 (未用传感器)
09:30	91	20.0	0.125	晴	预期@09:30 手动 (未用传感器)
10:40	91	20.0	0.125	晴	预期@10:40 手动 (未用传感器)
11:30	91	20.0	0.125	晴	预期@11:30 手动 (未用传感器)
12:15	91	20.0	0.125	多云	预期@12:15 手动 (未用传感器)
13:00	91	20.0	0.125	多云	预期@13:00 手动 (未用传感器)
13:50	91	20.0	0.125	多云	预期@13:50 手动 (未用传感器)
总计	637.0 (7次)	140.0			建议进液EC: 1690, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.125	多云	假设@08:30 未知程序 (未用传感器)
10:00	95	20.0	0.125	晴	假设@10:00 未知程序 (未用传感器)
10:55	95	20.0	0.125	晴	假设@10:55 未知程序 (未用传感器)
11:45	95	20.0	0.125	晴	假设@11:45 未知程序 (未用传感器)
12:30	95	20.0	0.125	晴	假设@12:30 未知程序 (未用传感器)
13:25	95	20.0	0.125	晴	假设@13:25 未知程序 (未用传感器)
14:15	95	20.0	0.125	晴	假设@14:15 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1710, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.125	晴	假设@08:30 未知程序 (未用传感器)
09:45	95	20.0	0.125	晴	假设@09:45 未知程序 (未用传感器)
10:45	95	20.0	0.125	晴	假设@10:45 未知程序 (未用传感器)
11:35	95	20.0	0.125	晴	假设@11:35 未知程序 (未用传感器)
12:20	95	20.0	0.125	晴	假设@12:20 未知程序 (未用传感器)
13:10	95	20.0	0.125	晴	假设@13:10 未知程序 (未用传感器)
14:15	95	20.0	0.125	晴	假设@14:15 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1730, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.125	晴	假设@08:35 未知程序 (未用传感器)
10:15	95	20.0	0.125	晴	假设@10:15 未知程序 (未用传感器)
11:20	95	20.0	0.125	晴	假设@11:20 未知程序 (未用传感器)
12:05	95	20.0	0.125	晴	假设@12:05 未知程序 (未用传感器)
12:50	95	20.0	0.125	晴	假设@12:50 未知程序 (未用传感器)
13:40	95	20.0	0.125	晴	假设@13:40 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 750, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.125	多云	假设@08:35 未知程序 (未用传感器)
10:15	95	20.0	0.125	晴	假设@10:15 未知程序 (未用传感器)
11:10	95	20.0	0.125	晴	假设@11:10 未知程序 (未用传感器)
11:55	95	20.0	0.125	晴	假设@11:55 未知程序 (未用传感器)
12:40	95	20.0	0.125	晴	假设@12:40 未知程序 (未用传感器)
13:40	95	20.0	0.125	晴	假设@13:40 未知程序 (未用传感器)
14:35	95	20.0	0.125	晴	假设@14:35 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1510, PH: 6.0

