






FgArea: [' 0' ]  
NC11 P2-16  
2025-10-07 (Day 31)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-16\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	259	150.0	0.936	多云	预期@10:10 手动 (未用传感器)
12:25	259	150.0	0.936	多云	预期@12:25 手动 (未用传感器)
总计	518.0 (2次)	300.0			建议进液EC: 1930, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	227	150.0	0.936	阴	假设@09:55 未知程序 (未用传感器)
11:15	227	150.0	0.936	多云	假设@11:15 未知程序 (未用传感器)
总计	454.0 (2次)	300.0			建议进液EC: 1970, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	227	150.0	0.936	阴	假设@10:10 未知程序 (未用传感器)
总计	227.0 (1次)	150.0			建议进液EC: 1520, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	227	150.0	0.936	晴	假设@10:10 未知程序 (未用传感器)
12:05	227	150.0	0.936	多云	假设@12:05 未知程序 (未用传感器)
总计	454.0 (2次)	300.0			建议进液EC: 1850, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	227	150.0	0.936	晴	假设@10:05 未知程序 (未用传感器)
12:15	227	150.0	0.936	晴	假设@12:15 未知程序 (未用传感器)
总计	454.0 (2次)	300.0			建议进液EC: 1890, PH: 6.5

