






FgArea: [' 0']
NC11 P2-16
2025-10-10 (Day 34)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN










Plot Fv and fertilizer usage










Trend plot forP2-16_0


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	263	150.0	0.936	阴	预期@10:15 手动 (未用传感器)
12:05	263	150.0	0.936	阴	预期@12:05 手动 (未用传感器)
总计	526.0 (2次)	300.0			建议进液EC: 1940, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1900, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1950, PH: 6.5


large discrepancy for begining water status (75:255.0), set to 75 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	259	150.0	0.936	晴	假设@10:10 未知程序 (未用传感器)
11:35	259	150.0	0.936	晴	假设@11:35 未知程序 (未用传感器)
总计	518.0 (2次)	300.0			建议进液EC: 1930, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	227	150.0	0.936	阴	假设@09:55 未知程序 (未用传感器)
11:15	227	150.0	0.936	多云	假设@11:15 未知程序 (未用传感器)
总计	454.0 (2次)	300.0			建议进液EC: 1970, PH: 6.5

