






FgArea: [ ' 0' ]  
NC11 P2-16  
2025-10-11 (Day 35)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-16\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	268	150.0	0.936	多云	预期@10:15 手动 (未用传感器)
11:50	268	150.0	0.936	晴	预期@11:50 手动 (未用传感器)
14:05	268	150.0	0.936	晴	预期@14:05 手动 (未用传感器)
总计	804.0 (3次)	450.0			建议进液EC: 1940, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	263	150.0	0.936	阴	假设@10:15 未知程序 (未用传感器)
总计	263.0 (1次)	150.0			建议进液EC: 1940, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1900, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1950, PH: 6.5

large discrepancy for begining water status (75:255.0), set to 75 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	259	150.0	0.936	晴	假设@10:10 未知程序 (未用传感器)
11:35	259	150.0	0.936	晴	假设@11:35 未知程序 (未用传感器)
总计	518.0 (2次)	300.0			建议进液EC: 1930, PH: 6.5

