





FgArea: [ ' 0' ]  
NC11 P2-16  
2025-12-05 (Day 90)


fgNum 1 (at\_row = 45)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-16\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	95	20.0	0.125	晴	预期@08:20 手动 (未用传感器)
09:00	95	20.0	0.125	晴	预期@09:00 手动 (未用传感器)
09:40	95	20.0	0.125	晴	预期@09:40 手动 (未用传感器)
10:20	95	20.0	0.125	晴	预期@10:20 手动 (未用传感器)
11:00	95	20.0	0.125	多云	预期@11:00 手动 (未用传感器)
11:40	95	20.0	0.125	多云	预期@11:40 手动 (未用传感器)
12:45	95	20.0	0.125	多云	预期@12:45 手动 (未用传感器)
13:45	95	20.0	0.125	多云	预期@13:45 手动 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1930, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	100	20.0	0.125	晴	假设@08:30 未知程序 (未用传感器)
09:15	100	20.0	0.125	晴	假设@09:15 未知程序 (未用传感器)
10:00	100	20.0	0.125	晴	假设@10:00 未知程序 (未用传感器)
10:45	100	20.0	0.125	晴	假设@10:45 未知程序 (未用传感器)
11:25	100	20.0	0.125	晴	假设@11:25 未知程序 (未用传感器)
12:05	100	20.0	0.125	晴	假设@12:05 未知程序 (未用传感器)
13:00	100	20.0	0.125	晴	假设@13:00 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 1940, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.125	晴	假设@08:25 未知程序 (未用传感器)
09:05	100	20.0	0.125	晴	假设@09:05 未知程序 (未用传感器)
09:45	100	20.0	0.125	晴	假设@09:45 未知程序 (未用传感器)
10:25	100	20.0	0.125	晴	假设@10:25 未知程序 (未用传感器)
11:05	100	20.0	0.125	晴	假设@11:05 未知程序 (未用传感器)
11:45	100	20.0	0.125	晴	假设@11:45 未知程序 (未用传感器)
12:40	100	20.0	0.125	晴	假设@12:40 未知程序 (未用传感器)
13:55	100	20.0	0.125	晴	假设@13:55 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1880, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.125	晴	假设@08:25 未知程序 (未用传感器)
09:05	100	20.0	0.125	晴	假设@09:05 未知程序 (未用传感器)
09:45	100	20.0	0.125	晴	假设@09:45 未知程序 (未用传感器)
10:25	100	20.0	0.125	晴	假设@10:25 未知程序 (未用传感器)
11:05	100	20.0	0.125	晴	假设@11:05 未知程序 (未用传感器)
11:45	100	20.0	0.125	晴	假设@11:45 未知程序 (未用传感器)
12:40	100	20.0	0.125	晴	假设@12:40 未知程序 (未用传感器)
14:00	100	20.0	0.125	晴	假设@14:00 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1920, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	100	20.0	0.125	多云	假设@08:25 未知程序 (未用传感器)
09:05	100	20.0	0.125	多云	假设@09:05 未知程序 (未用传感器)
09:45	100	20.0	0.125	多云	假设@09:45 未知程序 (未用传感器)
10:25	100	20.0	0.125	多云	假设@10:25 未知程序 (未用传感器)
11:05	100	20.0	0.125	晴	假设@11:05 未知程序 (未用传感器)
11:45	100	20.0	0.125	晴	假设@11:45 未知程序 (未用传感器)
12:25	100	20.0	0.125	晴	假设@12:25 未知程序 (未用传感器)
13:50	100	20.0	0.125	晴	假设@13:50 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1880, PH: 6.0

