





FgArea: [' 0' ]  
NC11 P2-1  
2025-12-09 (Day 104)


fgNum 1 (at\_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-1\_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.215	晴	预期@08:15 手动 (未用传感器)
08:50	100	20.0	0.215	晴	预期@08:50 手动 (未用传感器)
09:25	100	20.0	0.215	晴	预期@09:25 手动 (未用传感器)
10:00	100	20.0	0.215	晴	预期@10:00 手动 (未用传感器)
10:35	100	20.0	0.215	晴	预期@10:35 手动 (未用传感器)
11:30	100	20.0	0.215	晴	预期@11:30 手动 (未用传感器)
12:35	100	20.0	0.215	晴	预期@12:35 手动 (未用传感器)
13:40	100	20.0	0.215	晴	预期@13:40 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 2010, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	100	20.0	0.215	晴	假设@08:35 未知程序 (未用传感器)
09:25	100	20.0	0.215	晴	假设@09:25 未知程序 (未用传感器)
10:15	100	20.0	0.215	晴	假设@10:15 未知程序 (未用传感器)
11:05	100	20.0	0.215	晴	假设@11:05 未知程序 (未用传感器)
11:50	100	20.0	0.215	晴	假设@11:50 未知程序 (未用传感器)
12:50	100	20.0	0.215	晴	假设@12:50 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 2040, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.215	晴	假设@08:45 未知程序 (未用传感器)
09:25	100	20.0	0.215	晴	假设@09:25 未知程序 (未用传感器)
10:05	100	20.0	0.215	晴	假设@10:05 未知程序 (未用传感器)
10:45	100	20.0	0.215	晴	假设@10:45 未知程序 (未用传感器)
11:25	100	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:25	100	20.0	0.215	晴	假设@12:25 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 2000, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	100	20.0	0.215	晴	假设@08:40 未知程序 (未用传感器)
09:25	100	20.0	0.215	晴	假设@09:25 未知程序 (未用传感器)
10:50	100	20.0	0.215	晴	假设@10:50 未知程序 (未用传感器)
11:25	100	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:00	100	20.0	0.215	晴	假设@12:00 未知程序 (未用传感器)
12:50	100	20.0	0.215	晴	假设@12:50 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	100	20.0	0.215	晴	假设@08:50 未知程序 (未用传感器)
09:45	100	20.0	0.215	多云	假设@09:45 未知程序 (未用传感器)
10:40	100	20.0	0.215	阴	假设@10:40 未知程序 (未用传感器)
11:35	100	20.0	0.215	多云	假设@11:35 未知程序 (未用传感器)
12:25	100	20.0	0.215	多云	假设@12:25 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 2000, PH: 6.0

