





FgArea: [' 0']
NC11 P2-1
2025-12-20 (Day 115)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-1_0







FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	50	10.0	0.107	多云	预期@09:25 手动 (未用传感器)
09:55	50	10.0	0.107	多云	预期@09:55 手动 (未用传感器)
10:25	50	10.0	0.107	多云	预期@10:25 手动 (未用传感器)
10:55	50	10.0	0.107	多云	预期@10:55 手动 (未用传感器)
11:40	50	10.0	0.107	晴	预期@11:40 手动 (未用传感器)
12:30	50	10.0	0.107	晴	预期@12:30 手动 (未用传感器)
13:20	50	10.0	0.107	晴	预期@13:20 手动 (未用传感器)
14:15	50	10.0	0.107	晴	预期@14:15 手动 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 2160, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	100	20.0	0.215	雾	假设@09:25 未知程序 (未用传感器)
10:15	100	20.0	0.215	雾	假设@10:15 未知程序 (未用传感器)
11:30	100	20.0	0.215	雾	假设@11:30 未知程序 (未用传感器)
12:25	100	20.0	0.215	晴	假设@12:25 未知程序 (未用传感器)
13:20	100	20.0	0.215	晴	假设@13:20 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 2140, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:00	100	20.0	0.215	阴	假设@11:00 未知程序(未用传感器)
12:00	100	20.0	0.215	阴	假设@12:00 未知程序(未用传感器)
14:00	100	20.0	0.215	阴	假设@14:00 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2100, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	95	20.0	0.215	晴	假设@10:15 未知程序(未用传感器)
11:15	95	20.0	0.215	晴	假设@11:15 未知程序(未用传感器)
12:35	95	20.0	0.215	晴	假设@12:35 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 2160, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	50	10.0	0.107	多云	假设@09:40 未知程序 (未用传感器)
10:20	50	10.0	0.107	多云	假设@10:20 未知程序 (未用传感器)
11:00	50	10.0	0.107	晴	假设@11:00 未知程序 (未用传感器)
11:40	50	10.0	0.107	晴	假设@11:40 未知程序 (未用传感器)
12:45	50	10.0	0.107	晴	假设@12:45 未知程序 (未用传感器)
13:55	50	10.0	0.107	晴	假设@13:55 未知程序 (未用传感器)
总计	300.0 (6次)	60.0			建议进液EC: 2150, PH: 6.0

