





FgArea: [' 0']
NC11 P2-1
2026-01-06 (Day 132)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-1_0






FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	100	20.0	0.215	晴	预期@10:00 手动 (未用传感器)
10:45	100	20.0	0.215	晴	预期@10:45 手动 (未用传感器)
12:20	100	20.0	0.215	晴	预期@12:20 手动 (未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2040, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	100	20.0	0.215	晴	假设@10:15 未知程序 (未用传感器)
11:00	100	20.0	0.215	晴	假设@11:00 未知程序 (未用传感器)
12:15	100	20.0	0.215	晴	假设@12:15 未知程序 (未用传感器)
13:25	100	20.0	0.215	晴	假设@13:25 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 2120, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	100	20.0	0.215	晴	假设@10:25 未知程序 (未用传感器)
11:05	100	20.0	0.215	晴	假设@11:05 未知程序 (未用传感器)
12:25	100	20.0	0.215	晴	假设@12:25 未知程序 (未用传感器)
13:40	100	20.0	0.215	晴	假设@13:40 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 2130, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	100	20.0	0.215	晴	假设@10:40 未知程序(未用传感器)
11:20	100	20.0	0.215	晴	假设@11:20 未知程序(未用传感器)
12:35	100	20.0	0.215	晴	假设@12:35 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2060, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:05	100	20.0	0.215	晴	假设@11:05 未知程序(未用传感器)
11:35	100	20.0	0.215	晴	假设@11:35 未知程序(未用传感器)
12:50	100	20.0	0.215	晴	假设@12:50 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2070, PH: 6.0

