





FgArea: [ ' 0' ]  
NC11 P2-1  
2026-02-01 (Day 158)


fgNum 1 (at\_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]





P2-1\_0: M\_E




P2-1\_0: M\_W




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-1\_0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	100	20.0	0.215	晴	预期@10:05 手动 (未用传感器)
10:50	100	20.0	0.215	晴	预期@10:50 手动 (未用传感器)
12:15	100	20.0	0.215	晴	预期@12:15 手动 (未用传感器)
13:35	100	20.0	0.215	晴	预期@13:35 手动 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 2090, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	100	20.0	0.215	晴	假设@10:10 未知程序 (未用传感器)
10:50	100	20.0	0.215	晴	假设@10:50 未知程序 (未用传感器)
12:00	100	20.0	0.215	晴	假设@12:00 未知程序 (未用传感器)
13:00	100	20.0	0.215	晴	假设@13:00 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1820, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:15	100	20.0	0.215	多云	假设@11:15 未知程序(未用传感器)
11:45	100	20.0	0.215	多云	假设@11:45 未知程序(未用传感器)
12:55	100	20.0	0.215	晴	假设@12:55 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 2070, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:50	100	20.0	0.215	晴	假设@10:50 未知程序(未用传感器)
11:25	100	20.0	0.215	晴	假设@11:25 未知程序(未用传感器)
12:30	100	20.0	0.215	晴	假设@12:30 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1860, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:35	100	20.0	0.215	晴	假设@10:35 未知程序(未用传感器)
11:15	100	20.0	0.215	晴	假设@11:15 未知程序(未用传感器)
12:40	100	20.0	0.215	晴	假设@12:40 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1890, PH: 6.0

