





FgArea: [' 0']
NC11 P2-1
2026-02-08 (Day 165)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']





P2-1_0: M_E




P2-1_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN




Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-1_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	100	20.0	0.215	晴	预期@08:40 手动 (未用传感器)
10:15	100	20.0	0.215	晴	预期@10:15 手动 (未用传感器)
11:40	100	20.0	0.215	晴	预期@11:40 手动 (未用传感器)
12:50	100	20.0	0.215	晴	预期@12:50 手动 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1950, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	100	20.0	0.215	晴	假设@08:40 未知程序 (未用传感器)
10:40	100	20.0	0.215	晴	假设@10:40 未知程序 (未用传感器)
11:55	100	20.0	0.215	晴	假设@11:55 未知程序 (未用传感器)
12:55	100	20.0	0.215	晴	假设@12:55 未知程序 (未用传感器)
14:05	100	20.0	0.215	晴	假设@14:05 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1800, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.215	晴	假设@08:45 未知程序 (未用传感器)
10:45	100	20.0	0.215	晴	假设@10:45 未知程序 (未用传感器)
11:55	100	20.0	0.215	晴	假设@11:55 未知程序 (未用传感器)
13:00	100	20.0	0.215	晴	假设@13:00 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1990, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.215	晴	假设@08:45 未知程序 (未用传感器)
10:40	100	20.0	0.215	晴	假设@10:40 未知程序 (未用传感器)
11:50	100	20.0	0.215	晴	假设@11:50 未知程序 (未用传感器)
12:50	100	20.0	0.215	晴	假设@12:50 未知程序 (未用传感器)
13:55	100	20.0	0.215	晴	假设@13:55 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.215	晴	假设@08:45 未知程序 (未用传感器)
10:35	100	20.0	0.215	晴	假设@10:35 未知程序 (未用传感器)
11:50	100	20.0	0.215	晴	假设@11:50 未知程序 (未用传感器)
12:55	100	20.0	0.215	晴	假设@12:55 未知程序 (未用传感器)
总计	400.0 (4次)	80.0			建议进液EC: 1820, PH: 6.0

