





FgArea: [ ' 0' ]  
NC11 P2-1  
2026-03-22 (Day 207)


fgNum 1 (at\_row = 60.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]





P2-1\_0: M\_E




P2-1\_0: M\_W




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot for P2-1\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	77	20.0	0.215	多云	预期@07:25 手动 (未用传感器)
08:35	77	20.0	0.215	晴	预期@08:35 手动 (未用传感器)
09:55	77	20.0	0.215	晴	预期@09:55 手动 (未用传感器)
10:50	77	20.0	0.215	晴	预期@10:50 手动 (未用传感器)
11:35	77	20.0	0.215	晴	预期@11:35 手动 (未用传感器)
12:15	77	20.0	0.215	晴	预期@12:15 手动 (未用传感器)
12:55	77	20.0	0.215	晴	预期@12:55 手动 (未用传感器)
13:35	77	20.0	0.215	晴	预期@13:35 手动 (未用传感器)
14:20	77	20.0	0.215	晴	预期@14:20 手动 (未用传感器)
15:15	77	20.0	0.215	晴	预期@15:15 手动 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	77	20.0	0.215	晴	假设@07:40 未知程序 (未用传感器)
09:35	77	20.0	0.215	晴	假设@09:35 未知程序 (未用传感器)
10:35	77	20.0	0.215	晴	假设@10:35 未知程序 (未用传感器)
11:20	77	20.0	0.215	多云	假设@11:20 未知程序 (未用传感器)
11:55	77	20.0	0.215	多云	假设@11:55 未知程序 (未用传感器)
12:25	77	20.0	0.215	多云	假设@12:25 未知程序 (未用传感器)
12:55	77	20.0	0.215	多云	假设@12:55 未知程序 (未用传感器)
13:25	77	20.0	0.215	多云	假设@13:25 未知程序 (未用传感器)
14:00	77	20.0	0.215	多云	假设@14:00 未知程序 (未用传感器)
14:50	77	20.0	0.215	多云	假设@14:50 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1450, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	77	20.0	0.215	多云	假设@07:40 未知程序 (未用传感器)
09:25	77	20.0	0.215	晴	假设@09:25 未知程序 (未用传感器)
10:30	77	20.0	0.215	晴	假设@10:30 未知程序 (未用传感器)
11:25	77	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:05	77	20.0	0.215	晴	假设@12:05 未知程序 (未用传感器)
12:40	77	20.0	0.215	晴	假设@12:40 未知程序 (未用传感器)
13:15	77	20.0	0.215	晴	假设@13:15 未知程序 (未用传感器)
13:50	77	20.0	0.215	晴	假设@13:50 未知程序 (未用传感器)
14:35	77	20.0	0.215	晴	假设@14:35 未知程序 (未用传感器)
15:30	77	20.0	0.215	晴	假设@15:30 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.215	多云	假设@07:45 未知程序 (未用传感器)
09:50	77	20.0	0.215	晴	假设@09:50 未知程序 (未用传感器)
10:45	77	20.0	0.215	晴	假设@10:45 未知程序 (未用传感器)
11:25	77	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:00	77	20.0	0.215	晴	假设@12:00 未知程序 (未用传感器)
12:40	77	20.0	0.215	晴	假设@12:40 未知程序 (未用传感器)
13:20	77	20.0	0.215	晴	假设@13:20 未知程序 (未用传感器)
14:00	77	20.0	0.215	晴	假设@14:00 未知程序 (未用传感器)
14:45	77	20.0	0.215	晴	假设@14:45 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1450, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.215	晴	假设@07:45 未知程序 (未用传感器)
09:45	77	20.0	0.215	晴	假设@09:45 未知程序 (未用传感器)
10:40	77	20.0	0.215	晴	假设@10:40 未知程序 (未用传感器)
11:25	77	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:05	77	20.0	0.215	晴	假设@12:05 未知程序 (未用传感器)
12:45	77	20.0	0.215	晴	假设@12:45 未知程序 (未用传感器)
13:25	77	20.0	0.215	晴	假设@13:25 未知程序 (未用传感器)
14:15	77	20.0	0.215	晴	假设@14:15 未知程序 (未用传感器)
15:05	77	20.0	0.215	晴	假设@15:05 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1450, PH: 6.0



