





FgArea: [ ' 0' ]  
NC11 P2-1  
2026-03-28 (Day 213)


fgNum 1 (at\_row = 60)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]








P2-1\_0: M\_W




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa



Trend plot forP2-1\_0




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	115	30.0	0.322	晴	预期@07:25 手动 (未用传感器)
09:40	115	30.0	0.322	晴	预期@09:40 手动 (未用传感器)
10:55	115	30.0	0.322	晴	预期@10:55 手动 (未用传感器)
11:50	115	30.0	0.322	晴	预期@11:50 手动 (未用传感器)
12:40	115	30.0	0.322	晴	预期@12:40 手动 (未用传感器)
13:35	115	30.0	0.322	晴	预期@13:35 手动 (未用传感器)
14:35	115	30.0	0.322	晴	预期@14:35 手动 (未用传感器)
总计	805.0 (7次)	210.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	115	30.0	0.322	多云	假设@07:30 未知程序 (未用传感器)
09:45	115	30.0	0.322	晴	假设@09:45 未知程序 (未用传感器)
10:45	115	30.0	0.322	晴	假设@10:45 未知程序 (未用传感器)
11:35	115	30.0	0.322	晴	假设@11:35 未知程序 (未用传感器)
12:15	115	30.0	0.322	晴	假设@12:15 未知程序 (未用传感器)
12:55	115	30.0	0.322	晴	假设@12:55 未知程序 (未用传感器)
13:40	115	30.0	0.322	晴	假设@13:40 未知程序 (未用传感器)
14:25	115	30.0	0.322	晴	假设@14:25 未知程序 (未用传感器)
15:15	115	30.0	0.322	晴	假设@15:15 未知程序 (未用传感器)
总计	1035.0 (9次)	270.0			建议进液EC: 1440, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	115	30.0	0.322	晴	假设@07:30 未知程序 (未用传感器)
10:00	115	30.0	0.322	多云	假设@10:00 未知程序 (未用传感器)
10:55	115	30.0	0.322	多云	假设@10:55 未知程序 (未用传感器)
11:40	115	30.0	0.322	晴	假设@11:40 未知程序 (未用传感器)
12:25	115	30.0	0.322	晴	假设@12:25 未知程序 (未用传感器)
13:15	115	30.0	0.322	晴	假设@13:15 未知程序 (未用传感器)
14:00	115	30.0	0.322	晴	假设@14:00 未知程序 (未用传感器)
14:50	115	30.0	0.322	晴	假设@14:50 未知程序 (未用传感器)
15:45	115	30.0	0.322	晴	假设@15:45 未知程序 (未用传感器)
总计	1035.0 (9次)	270.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	115	30.0	0.322	雾	假设@07:30 未知程序 (未用传感器)
09:20	115	30.0	0.322	阴	假设@09:20 未知程序 (未用传感器)
10:25	115	30.0	0.322	晴	假设@10:25 未知程序 (未用传感器)
11:15	115	30.0	0.322	晴	假设@11:15 未知程序 (未用传感器)
11:55	115	30.0	0.322	晴	假设@11:55 未知程序 (未用传感器)
12:35	115	30.0	0.322	晴	假设@12:35 未知程序 (未用传感器)
13:15	115	30.0	0.322	晴	假设@13:15 未知程序 (未用传感器)
13:55	115	30.0	0.322	晴	假设@13:55 未知程序 (未用传感器)
14:45	115	30.0	0.322	晴	假设@14:45 未知程序 (未用传感器)
总计	1035.0 (9次)	270.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	77	20.0	0.215	晴	假设@07:35 未知程序 (未用传感器)
09:30	77	20.0	0.215	晴	假设@09:30 未知程序 (未用传感器)
10:25	77	20.0	0.215	晴	假设@10:25 未知程序 (未用传感器)
11:10	77	20.0	0.215	晴	假设@11:10 未知程序 (未用传感器)
11:45	77	20.0	0.215	晴	假设@11:45 未知程序 (未用传感器)
12:30	77	20.0	0.215	晴	假设@12:30 未知程序 (未用传感器)
13:00	77	20.0	0.215	晴	假设@13:00 未知程序 (未用传感器)
13:30	77	20.0	0.215	晴	假设@13:30 未知程序 (未用传感器)
14:00	77	20.0	0.215	晴	假设@14:00 未知程序 (未用传感器)
14:35	77	20.0	0.215	晴	假设@14:35 未知程序 (未用传感器)
15:15	77	20.0	0.215	晴	假设@15:15 未知程序 (未用传感器)
16:20	77	20.0	0.215	晴	假设@16:20 未知程序 (未用传感器)
总计	924.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0



