






FgArea: [' 0']
NC11 P2-1
2025-10-03 (Day 37)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']









Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]




Plot ET/VN






Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-1_0








FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	1.611	晴	预期@10:10 手动(未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2040, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:05	300	150.0	1.611	晴	假设@11:05 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 1970, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:55	300	150.0	1.611	晴	假设@10:55 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2050, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	300	150.0	1.611	晴	假设@10:25 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2180, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	300	150.0	1.611	多云	假设@10:05 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 1640, PH: 6.5

