





FgArea: [' 0']
NC11 P2-1
2025-11-25 (Day 90)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot forP2-1_0

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	100	20.0	0.215	晴	预期@08:05 手动 (未用传感器)
08:45	100	20.0	0.215	晴	预期@08:45 手动 (未用传感器)
09:25	100	20.0	0.215	晴	预期@09:25 手动 (未用传感器)
10:05	100	20.0	0.215	晴	预期@10:05 手动 (未用传感器)
10:40	100	20.0	0.215	晴	预期@10:40 手动 (未用传感器)
11:15	100	20.0	0.215	晴	预期@11:15 手动 (未用传感器)
12:15	100	20.0	0.215	晴	预期@12:15 手动 (未用传感器)
13:15	100	20.0	0.215	晴	预期@13:15 手动 (未用传感器)
14:20	100	20.0	0.215	晴	预期@14:20 手动 (未用传感器)
总计	900.0 (9次)	180.0			建议进液EC: 1890, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	87	20.0	0.215	阴	假设@08:05 未知程序 (未用传感器)
09:05	87	20.0	0.215	阴	假设@09:05 未知程序 (未用传感器)
10:30	87	20.0	0.215	阴	假设@10:30 未知程序 (未用传感器)
11:25	87	20.0	0.215	阴	假设@11:25 未知程序 (未用传感器)
13:05	87	20.0	0.215	阴	假设@13:05 未知程序 (未用传感器)
总计	435.0 (5次)	100.0			建议进液EC: 1740, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	77	20.0	0.215	多云	假设@08:10 未知程序 (未用传感器)
08:50	77	20.0	0.215	多云	假设@08:50 未知程序 (未用传感器)
09:30	77	20.0	0.215	多云	假设@09:30 未知程序 (未用传感器)
10:05	77	20.0	0.215	多云	假设@10:05 未知程序 (未用传感器)
10:40	77	20.0	0.215	多云	假设@10:40 未知程序 (未用传感器)
11:25	77	20.0	0.215	晴	假设@11:25 未知程序 (未用传感器)
12:25	77	20.0	0.215	晴	假设@12:25 未知程序 (未用传感器)
13:35	77	20.0	0.215	晴	假设@13:35 未知程序 (未用传感器)
总计	616.0 (8次)	160.0			建议进液EC: 1980, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	115	30.0	0.322	多云	假设@08:45 未知程序 (未用传感器)
09:35	115	30.0	0.322	晴	假设@09:35 未知程序 (未用传感器)
10:25	115	30.0	0.322	晴	假设@10:25 未知程序 (未用传感器)
11:10	115	30.0	0.322	晴	假设@11:10 未知程序 (未用传感器)
12:00	115	30.0	0.322	晴	假设@12:00 未知程序 (未用传感器)
13:05	115	30.0	0.322	晴	假设@13:05 未知程序 (未用传感器)
总计	690.0 (6次)	180.0			建议进液EC: 2160, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	111	30.0	0.322	晴	假设@08:40 未知程序 (未用传感器)
09:25	111	30.0	0.322	晴	假设@09:25 未知程序 (未用传感器)
10:10	111	30.0	0.322	晴	假设@10:10 未知程序 (未用传感器)
10:55	111	30.0	0.322	晴	假设@10:55 未知程序 (未用传感器)
11:55	111	30.0	0.322	晴	假设@11:55 未知程序 (未用传感器)
12:50	111	30.0	0.322	晴	假设@12:50 未知程序 (未用传感器)
14:20	111	30.0	0.322	晴	假设@14:20 未知程序 (未用传感器)
总计	777.0 (7次)	210.0			建议进液EC: 2160, PH: 6.0

