





FgArea: [' 0']
NC11 P2-1
2025-12-02 (Day 97)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-1_0







FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	20.0	0.215	晴	预期@08:10 手动 (未用传感器)
08:50	100	20.0	0.215	晴	预期@08:50 手动 (未用传感器)
09:25	100	20.0	0.215	晴	预期@09:25 手动 (未用传感器)
10:00	100	20.0	0.215	晴	预期@10:00 手动 (未用传感器)
10:35	100	20.0	0.215	晴	预期@10:35 手动 (未用传感器)
11:25	100	20.0	0.215	晴	预期@11:25 手动 (未用传感器)
12:30	100	20.0	0.215	晴	预期@12:30 手动 (未用传感器)
13:40	100	20.0	0.215	晴	预期@13:40 手动 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1950, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	20.0	0.215	多云	假设@08:10 未知程序 (未用传感器)
08:55	100	20.0	0.215	多云	假设@08:55 未知程序 (未用传感器)
09:40	100	20.0	0.215	多云	假设@09:40 未知程序 (未用传感器)
10:25	100	20.0	0.215	多云	假设@10:25 未知程序 (未用传感器)
11:10	100	20.0	0.215	晴	假设@11:10 未知程序 (未用传感器)
12:05	100	20.0	0.215	晴	假设@12:05 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 2010, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.215	阴	假设@08:15 未知程序 (未用传感器)
09:10	100	20.0	0.215	阴	假设@09:10 未知程序 (未用传感器)
10:40	100	20.0	0.215	阴	假设@10:40 未知程序 (未用传感器)
11:25	100	20.0	0.215	阴	假设@11:25 未知程序 (未用传感器)
12:10	100	20.0	0.215	多云	假设@12:10 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1980, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	100	20.0	0.215	晴	假设@08:05 未知程序 (未用传感器)
08:50	100	20.0	0.215	晴	假设@08:50 未知程序 (未用传感器)
09:30	100	20.0	0.215	晴	假设@09:30 未知程序 (未用传感器)
10:10	100	20.0	0.215	晴	假设@10:10 未知程序 (未用传感器)
10:50	100	20.0	0.215	晴	假设@10:50 未知程序 (未用传感器)
12:00	100	20.0	0.215	晴	假设@12:00 未知程序 (未用传感器)
12:50	100	20.0	0.215	晴	假设@12:50 未知程序 (未用传感器)
14:20	100	20.0	0.215	晴	假设@14:20 未知程序 (未用传感器)
总计	800.0 (8次)	160.0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.215	晴	假设@08:15 未知程序 (未用传感器)
09:00	100	20.0	0.215	晴	假设@09:00 未知程序 (未用传感器)
09:45	100	20.0	0.215	晴	假设@09:45 未知程序 (未用传感器)
10:30	100	20.0	0.215	晴	假设@10:30 未知程序 (未用传感器)
11:15	100	20.0	0.215	晴	假设@11:15 未知程序 (未用传感器)
12:25	100	20.0	0.215	晴	假设@12:25 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1990, PH: 6.0

