





FgArea: [' 0' ]  
NC11 P2-2  
2025-12-09 (Day 104)


fgNum 1 (at\_row = 52)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-2\_0








# FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	95	20.0	0.134	晴	预期@08:15 手动 (未用传感器)
08:50	95	20.0	0.134	晴	预期@08:50 手动 (未用传感器)
09:25	95	20.0	0.134	晴	预期@09:25 手动 (未用传感器)
10:00	95	20.0	0.134	晴	预期@10:00 手动 (未用传感器)
10:35	95	20.0	0.134	晴	预期@10:35 手动 (未用传感器)
11:35	95	20.0	0.134	晴	预期@11:35 手动 (未用传感器)
12:40	95	20.0	0.134	晴	预期@12:40 手动 (未用传感器)
13:50	95	20.0	0.134	晴	预期@13:50 手动 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 1860, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.134	晴	假设@08:35 未知程序 (未用传感器)
09:20	95	20.0	0.134	晴	假设@09:20 未知程序 (未用传感器)
10:05	95	20.0	0.134	晴	假设@10:05 未知程序 (未用传感器)
10:45	95	20.0	0.134	晴	假设@10:45 未知程序 (未用传感器)
11:25	95	20.0	0.134	晴	假设@11:25 未知程序 (未用传感器)
12:40	95	20.0	0.134	晴	假设@12:40 未知程序 (未用传感器)
13:40	95	20.0	0.134	晴	假设@13:40 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1910, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	95	20.0	0.134	晴	假设@08:45 未知程序 (未用传感器)
09:25	95	20.0	0.134	晴	假设@09:25 未知程序 (未用传感器)
10:05	95	20.0	0.134	晴	假设@10:05 未知程序 (未用传感器)
10:45	95	20.0	0.134	晴	假设@10:45 未知程序 (未用传感器)
11:25	95	20.0	0.134	晴	假设@11:25 未知程序 (未用传感器)
12:05	95	20.0	0.134	晴	假设@12:05 未知程序 (未用传感器)
13:10	95	20.0	0.134	晴	假设@13:10 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1900, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	95	20.0	0.134	晴	假设@08:30 未知程序 (未用传感器)
09:10	95	20.0	0.134	晴	假设@09:10 未知程序 (未用传感器)
10:25	95	20.0	0.134	晴	假设@10:25 未知程序 (未用传感器)
11:00	95	20.0	0.134	晴	假设@11:00 未知程序 (未用传感器)
11:35	95	20.0	0.134	晴	假设@11:35 未知程序 (未用传感器)
12:25	95	20.0	0.134	晴	假设@12:25 未知程序 (未用传感器)
13:25	95	20.0	0.134	晴	假设@13:25 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 1880, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	95	20.0	0.134	晴	假设@08:50 未知程序 (未用传感器)
09:35	95	20.0	0.134	多云	假设@09:35 未知程序 (未用传感器)
10:20	95	20.0	0.134	阴	假设@10:20 未知程序 (未用传感器)
11:05	95	20.0	0.134	多云	假设@11:05 未知程序 (未用传感器)
11:50	95	20.0	0.134	多云	假设@11:50 未知程序 (未用传感器)
12:40	95	20.0	0.134	多云	假设@12:40 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 1870, PH: 6.0

