





FgArea: [ ' 0' ]  
NC11 P2-2  
2025-12-10 (Day 105)


fgNum 1 (at\_row = 52)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-2\_0







# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	95	20.0	0.134	多云	预期@09:20 手动 (未用传感器)
10:05	95	20.0	0.134	多云	预期@10:05 手动 (未用传感器)
11:15	95	20.0	0.134	多云	预期@11:15 手动 (未用传感器)
12:25	95	20.0	0.134	多云	预期@12:25 手动 (未用传感器)
13:35	95	20.0	0.134	多云	预期@13:35 手动 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1900, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	95	20.0	0.134	晴	假设@09:45 未知程序 (未用传感器)
10:35	95	20.0	0.134	晴	假设@10:35 未知程序 (未用传感器)
11:55	95	20.0	0.134	晴	假设@11:55 未知程序 (未用传感器)
13:00	95	20.0	0.134	晴	假设@13:00 未知程序 (未用传感器)
14:15	95	20.0	0.134	晴	假设@14:15 未知程序 (未用传感器)
总计	475.0 (5次)	100.0			建议进液EC: 1920, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:30	95	20.0	0.134	晴	假设@10:30 未知程序 (未用传感器)
11:15	95	20.0	0.134	晴	假设@11:15 未知程序 (未用传感器)
12:50	95	20.0	0.134	晴	假设@12:50 未知程序 (未用传感器)
13:55	95	20.0	0.134	晴	假设@13:55 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1910, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:50	95	20.0	0.134	晴	假设@10:50 未知程序 (未用传感器)
11:30	95	20.0	0.134	晴	假设@11:30 未知程序 (未用传感器)
12:40	95	20.0	0.134	晴	假设@12:40 未知程序 (未用传感器)
13:45	95	20.0	0.134	晴	假设@13:45 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1900, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:55	95	20.0	0.134	晴	假设@10:55 未知程序 (未用传感器)
11:30	95	20.0	0.134	晴	假设@11:30 未知程序 (未用传感器)
12:30	95	20.0	0.134	晴	假设@12:30 未知程序 (未用传感器)
13:25	95	20.0	0.134	晴	假设@13:25 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1880, PH: 6.0

