





FgArea: [' 0' ]  
NC11 P2-2  
2025-12-27 (Day 122)


fgNum 1 (at\_row = 52)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-2\_0







# FgDaily

















| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:25 | 91         | 20.0      | 0.134     | 晴  | 预期@09:25 手动 (未用传感器)   |
| 10:20 | 91         | 20.0      | 0.134     | 晴  | 预期@10:20 手动 (未用传感器)   |
| 11:40 | 91         | 20.0      | 0.134     | 晴  | 预期@11:40 手动 (未用传感器)   |
| 12:50 | 91         | 20.0      | 0.134     | 晴  | 预期@12:50 手动 (未用传感器)   |
| 14:05 | 91         | 20.0      | 0.134     | 晴  | 预期@14:05 手动 (未用传感器)   |
| 总计    | 455.0 (5次) | 100.0     |           |    | 建议进液EC: 1850, PH: 6.0 |







| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:05 | 91         | 20.0      | 0.134     | 晴  | 假设@10:05 未知程序 (未用传感器) |
| 11:00 | 91         | 20.0      | 0.134     | 晴  | 假设@11:00 未知程序 (未用传感器) |
| 12:20 | 91         | 20.0      | 0.134     | 晴  | 假设@12:20 未知程序 (未用传感器) |
| 总计    | 273.0 (3次) | 60.0      |           |    | 建议进液EC: 1850, PH: 6.0 |









| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:00 | 91         | 20.0      | 0.134     | 晴  | 假设@10:00 未知程序 (未用传感器) |
| 11:00 | 91         | 20.0      | 0.134     | 晴  | 假设@11:00 未知程序 (未用传感器) |
| 12:25 | 91         | 20.0      | 0.134     | 晴  | 假设@12:25 未知程序 (未用传感器) |
| 总计    | 273.0 (3次) | 60.0      |           |    | 建议进液EC: 1890, PH: 6.0 |








| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:15 | 45         | 10.0      | 0.067     | 晴  | 假设@08:15 未知程序 (未用传感器) |
| 11:15 | 45         | 10.0      | 0.067     | 多云 | 假设@11:15 未知程序 (未用传感器) |
| 11:50 | 45         | 10.0      | 0.067     | 多云 | 假设@11:50 未知程序 (未用传感器) |
| 12:25 | 45         | 10.0      | 0.067     | 多云 | 假设@12:25 未知程序 (未用传感器) |
| 13:00 | 45         | 10.0      | 0.067     | 多云 | 假设@13:00 未知程序 (未用传感器) |
| 13:35 | 45         | 10.0      | 0.067     | 多云 | 假设@13:35 未知程序 (未用传感器) |
| 总计    | 270.0 (6次) | 60.0      |           |    | 建议进液EC: 1870, PH: 6.0 |







| 时间    | 灌溉时长(秒)     | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                    |
|-------|-------------|-----------|-----------|----|-----------------------|
| 08:15 | 45          | 10.0      | 0.067     | 多云 | 假设@08:15 未知程序 (未用传感器) |
| 09:10 | 45          | 10.0      | 0.067     | 多云 | 假设@09:10 未知程序 (未用传感器) |
| 09:45 | 45          | 10.0      | 0.067     | 多云 | 假设@09:45 未知程序 (未用传感器) |
| 10:40 | 45          | 10.0      | 0.067     | 多云 | 假设@10:40 未知程序 (未用传感器) |
| 11:25 | 45          | 10.0      | 0.067     | 晴  | 假设@11:25 未知程序 (未用传感器) |
| 12:05 | 45          | 10.0      | 0.067     | 晴  | 假设@12:05 未知程序 (未用传感器) |
| 12:40 | 45          | 10.0      | 0.067     | 晴  | 假设@12:40 未知程序 (未用传感器) |
| 13:15 | 45          | 10.0      | 0.067     | 晴  | 假设@13:15 未知程序 (未用传感器) |
| 14:00 | 45          | 10.0      | 0.067     | 晴  | 假设@14:00 未知程序 (未用传感器) |
| 14:45 | 45          | 10.0      | 0.067     | 晴  | 假设@14:45 未知程序 (未用传感器) |
| 总计    | 450.0 (10次) | 100.0     |           |    | 建议进液EC: 1840, PH: 6.0 |

