





FgArea: [' 0']
NC11 P2-2
2025-12-31 (Day 126)


fgNum 1 (at_row = 52)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-2_0


















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:35 | 91 | 20.0 | 0.134 | 晴 | 预期@09:35 手动 (未用传感器) |
| 10:30 | 91 | 20.0 | 0.134 | 晴 | 预期@10:30 手动 (未用传感器) |
| 11:55 | 91 | 20.0 | 0.134 | 晴 | 预期@11:55 手动 (未用传感器) |
| 13:15 | 91 | 20.0 | 0.134 | 晴 | 预期@13:15 手动 (未用传感器) |
| 总计 | 364.0 (4次) | 80.0 | | | 建议进液EC: 1890, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:05 | 91 | 20.0 | 0.134 | 晴 | 假设@11:05 未知程序 (未用传感器) |
| 11:50 | 91 | 20.0 | 0.134 | 晴 | 假设@11:50 未知程序 (未用传感器) |
| 12:50 | 91 | 20.0 | 0.134 | 晴 | 假设@12:50 未知程序 (未用传感器) |
| 14:00 | 91 | 20.0 | 0.134 | 晴 | 假设@14:00 未知程序 (未用传感器) |
| 总计 | 364.0 (4次) | 80.0 | | | 建议进液EC: 1870, PH: 6.0 |






| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:55 | 91 | 20.0 | 0.134 | 雾 | 假设@09:55 未知程序 (未用传感器) |
| 10:45 | 91 | 20.0 | 0.134 | 晴 | 假设@10:45 未知程序 (未用传感器) |
| 12:00 | 91 | 20.0 | 0.134 | 晴 | 假设@12:00 未知程序 (未用传感器) |
| 13:05 | 91 | 20.0 | 0.134 | 晴 | 假设@13:05 未知程序 (未用传感器) |
| 总计 | 364.0 (4次) | 80.0 | | | 建议进液EC: 1870, PH: 6.0 |









| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-----------|-----------|-----------|----|-----------------------|
| 09:50 | 91 | 20.0 | 0.134 | 多云 | 假设@09:50 未知程序 (未用传感器) |
| 总计 | 91.0 (1次) | 20.0 | | | 建议进液EC: 1860, PH: 6.0 |

large discrepancy for begining water status (27:138.0), set to 27 ml.





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:45 | 91 | 20.0 | 0.134 | 雾 | 假设@09:45 未知程序 (未用传感器) |
| 10:35 | 91 | 20.0 | 0.134 | 晴 | 假设@10:35 未知程序 (未用传感器) |
| 11:50 | 91 | 20.0 | 0.134 | 晴 | 假设@11:50 未知程序 (未用传感器) |
| 12:50 | 91 | 20.0 | 0.134 | 晴 | 假设@12:50 未知程序 (未用传感器) |
| 14:00 | 91 | 20.0 | 0.134 | 晴 | 假设@14:00 未知程序 (未用传感器) |
| 总计 | 455.0 (5次) | 100.0 | | | 建议进液EC: 1850, PH: 6.0 |

