





FgArea: [ ' 0' ]  
NC11 P2-2  
2026-03-19 (Day 204)


fgNum 1 (at\_row = 52.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-2\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot for P2-2\_0





















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.134	晴	预期@07:40 手动 (未用传感器)
09:20	71	20.0	0.134	晴	预期@09:20 手动 (未用传感器)
10:40	71	20.0	0.134	晴	预期@10:40 手动 (未用传感器)
11:35	71	20.0	0.134	晴	预期@11:35 手动 (未用传感器)
12:25	71	20.0	0.134	晴	预期@12:25 手动 (未用传感器)
13:15	71	20.0	0.134	晴	预期@13:15 手动 (未用传感器)
14:10	71	20.0	0.134	晴	预期@14:10 手动 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1540, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	71	20.0	0.134	晴	假设@07:45 未知程序 (未用传感器)
09:35	71	20.0	0.134	晴	假设@09:35 未知程序 (未用传感器)
10:30	71	20.0	0.134	晴	假设@10:30 未知程序 (未用传感器)
11:20	71	20.0	0.134	晴	假设@11:20 未知程序 (未用传感器)
12:10	71	20.0	0.134	晴	假设@12:10 未知程序 (未用传感器)
12:55	71	20.0	0.134	晴	假设@12:55 未知程序 (未用传感器)
13:40	71	20.0	0.134	晴	假设@13:40 未知程序 (未用传感器)
14:30	71	20.0	0.134	晴	假设@14:30 未知程序 (未用传感器)
总计	568.0 (8次)	160.0			建议进液EC: 1530, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	71	20.0	0.134	多云	假设@07:45 未知程序 (未用传感器)
10:00	71	20.0	0.134	阴	假设@10:00 未知程序 (未用传感器)
11:40	71	20.0	0.134	阴	假设@11:40 未知程序 (未用传感器)
13:25	71	20.0	0.134	阴	假设@13:25 未知程序 (未用传感器)
总计	284.0 (4次)	80.0			建议进液EC: 2050, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	71	20.0	0.134	晴	假设@07:50 未知程序 (未用传感器)
10:10	71	20.0	0.134	晴	假设@10:10 未知程序 (未用传感器)
11:25	71	20.0	0.134	晴	假设@11:25 未知程序 (未用传感器)
12:20	71	20.0	0.134	晴	假设@12:20 未知程序 (未用传感器)
13:15	71	20.0	0.134	晴	假设@13:15 未知程序 (未用传感器)
14:15	71	20.0	0.134	晴	假设@14:15 未知程序 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1510, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	71	20.0	0.134	多云	假设@07:50 未知程序 (未用传感器)
09:50	71	20.0	0.134	晴	假设@09:50 未知程序 (未用传感器)
11:00	71	20.0	0.134	晴	假设@11:00 未知程序 (未用传感器)
12:00	71	20.0	0.134	晴	假设@12:00 未知程序 (未用传感器)
12:55	71	20.0	0.134	晴	假设@12:55 未知程序 (未用传感器)
13:45	71	20.0	0.134	晴	假设@13:45 未知程序 (未用传感器)
14:50	71	20.0	0.134	晴	假设@14:50 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1520, PH: 6.0

