





FgArea: [ ' 0' ]  
NC11 P2-2  
2026-04-04 (Day 220)


fgNum 1 (at\_row = 52.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-2\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]









Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]




Plot ET/VN






Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-2\_0








# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	71	20.0	0.134	晴	预期@07:15 手动 (未用传感器)
08:25	71	20.0	0.134	晴	预期@08:25 手动 (未用传感器)
09:45	71	20.0	0.134	晴	预期@09:45 手动 (未用传感器)
10:40	71	20.0	0.134	晴	预期@10:40 手动 (未用传感器)
11:25	71	20.0	0.134	晴	预期@11:25 手动 (未用传感器)
12:05	71	20.0	0.134	晴	预期@12:05 手动 (未用传感器)
12:45	71	20.0	0.134	晴	预期@12:45 手动 (未用传感器)
13:25	71	20.0	0.134	晴	预期@13:25 手动 (未用传感器)
14:10	71	20.0	0.134	晴	预期@14:10 手动 (未用传感器)
15:05	71	20.0	0.134	晴	预期@15:05 手动 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1480, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	71	20.0	0.134	阴	假设@06:45 未知程序 (未用传感器)
08:25	71	20.0	0.134	阴	假设@08:25 未知程序 (未用传感器)
10:05	71	20.0	0.134	阴	假设@10:05 未知程序 (未用传感器)
11:05	71	20.0	0.134	阴	假设@11:05 未知程序 (未用传感器)
11:55	71	20.0	0.134	阴	假设@11:55 未知程序 (未用传感器)
12:40	71	20.0	0.134	阴	假设@12:40 未知程序 (未用传感器)
13:25	71	20.0	0.134	阴	假设@13:25 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1840, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	71	20.0	0.134	多云	假设@07:20 未知程序 (未用传感器)
08:40	71	20.0	0.134	晴	假设@08:40 未知程序 (未用传感器)
09:40	71	20.0	0.134	多云	假设@09:40 未知程序 (未用传感器)
10:25	71	20.0	0.134	晴	假设@10:25 未知程序 (未用传感器)
11:05	71	20.0	0.134	晴	假设@11:05 未知程序 (未用传感器)
11:40	71	20.0	0.134	晴	假设@11:40 未知程序 (未用传感器)
12:15	71	20.0	0.134	晴	假设@12:15 未知程序 (未用传感器)
12:45	71	20.0	0.134	晴	假设@12:45 未知程序 (未用传感器)
13:15	71	20.0	0.134	晴	假设@13:15 未知程序 (未用传感器)
13:45	71	20.0	0.134	晴	假设@13:45 未知程序 (未用传感器)
14:30	71	20.0	0.134	晴	假设@14:30 未知程序 (未用传感器)
15:10	71	20.0	0.134	晴	假设@15:10 未知程序 (未用传感器)
16:05	71	20.0	0.134	晴	假设@16:05 未知程序 (未用传感器)
总计	923.0 (13次)	260.0			建议进液EC: 1500, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	71	20.0	0.134	晴	假设@07:20 未知程序 (未用传感器)
08:30	71	20.0	0.134	晴	假设@08:30 未知程序 (未用传感器)
09:25	71	20.0	0.134	晴	假设@09:25 未知程序 (未用传感器)
10:10	71	20.0	0.134	晴	假设@10:10 未知程序 (未用传感器)
10:50	71	20.0	0.134	晴	假设@10:50 未知程序 (未用传感器)
11:25	71	20.0	0.134	晴	假设@11:25 未知程序 (未用传感器)
12:05	71	20.0	0.134	晴	假设@12:05 未知程序 (未用传感器)
12:40	71	20.0	0.134	晴	假设@12:40 未知程序 (未用传感器)
13:10	71	20.0	0.134	多云	假设@13:10 未知程序 (未用传感器)
13:45	71	20.0	0.134	多云	假设@13:45 未知程序 (未用传感器)
14:25	71	20.0	0.134	多云	假设@14:25 未知程序 (未用传感器)
15:05	71	20.0	0.134	多云	假设@15:05 未知程序 (未用传感器)
15:55	71	20.0	0.134	多云	假设@15:55 未知程序 (未用传感器)
总计	923.0 (13次)	260.0			建议进液EC: 1490, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	71	20.0	0.134	多云	假设@07:20 未知程序 (未用传感器)
09:20	71	20.0	0.134	阴	假设@09:20 未知程序 (未用传感器)
10:25	71	20.0	0.134	阴	假设@10:25 未知程序 (未用传感器)
11:05	71	20.0	0.134	阴	假设@11:05 未知程序 (未用传感器)
11:40	71	20.0	0.134	阴	假设@11:40 未知程序 (未用传感器)
12:20	71	20.0	0.134	多云	假设@12:20 未知程序 (未用传感器)
13:10	71	20.0	0.134	多云	假设@13:10 未知程序 (未用传感器)
14:20	71	20.0	0.134	多云	假设@14:20 未知程序 (未用传感器)
15:55	71	20.0	0.134	多云	假设@15:55 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1550, PH: 6.0



