





FgArea: [' 0']
NC11 P2-2
2025-10-05 (Day 39)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN






Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2-2_0







FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:10	300	150.0	1.008	多云	预期@10:10 手动 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 1710, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:00	300	150.0	1.008	多云	假设@11:00 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2150, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:55	300	150.0	1.008	晴	假设@10:55 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2120, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:10	300	150.0	1.008	晴	假设@11:10 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2060, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:05	300	150.0	1.008	晴	假设@11:05 未知程序 (未用传感器)
总计	300.0 (1次)	150.0			建议进液EC: 2120, PH: 6.5

