




FgArea: [' 0']
NC11 P2-2
2025-11-17 (Day 82)


fgNum 1 (at_row = 52)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-2_0







FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	60	30.0	0.202	晴	预期@08:00 手动 (未用传感器)
08:45	60	30.0	0.202	晴	预期@08:45 手动 (未用传感器)
09:30	60	30.0	0.202	晴	预期@09:30 手动 (未用传感器)
10:25	60	30.0	0.202	晴	预期@10:25 手动 (未用传感器)
11:40	60	30.0	0.202	晴	预期@11:40 手动 (未用传感器)
12:50	60	30.0	0.202	晴	预期@12:50 手动 (未用传感器)
14:00	60	30.0	0.202	晴	预期@14:00 手动 (未用传感器)
总计	420.0 (7次)	210.0			建议进液EC: 1500, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	60	30.0	0.202	多云	假设@08:15 未知程序 (未用传感器)
09:10	60	30.0	0.202	晴	假设@09:10 未知程序 (未用传感器)
10:05	60	30.0	0.202	晴	假设@10:05 未知程序 (未用传感器)
10:55	60	30.0	0.202	晴	假设@10:55 未知程序 (未用传感器)
12:05	60	30.0	0.202	晴	假设@12:05 未知程序 (未用传感器)
13:10	60	30.0	0.202	晴	假设@13:10 未知程序 (未用传感器)
总计	360.0 (6次)	180.0			建议进液EC: 2090, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	60	30.0	0.202	多云	假设@07:55 未知程序 (未用传感器)
08:40	60	30.0	0.202	雾	假设@08:40 未知程序 (未用传感器)
09:25	60	30.0	0.202	晴	假设@09:25 未知程序 (未用传感器)
10:15	60	30.0	0.202	晴	假设@10:15 未知程序 (未用传感器)
11:20	60	30.0	0.202	晴	假设@11:20 未知程序 (未用传感器)
12:15	60	30.0	0.202	晴	假设@12:15 未知程序 (未用传感器)
13:10	60	30.0	0.202	晴	假设@13:10 未知程序 (未用传感器)
14:25	60	30.0	0.202	晴	假设@14:25 未知程序 (未用传感器)
总计	480.0 (8次)	240.0			建议进液EC: 2070, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	60	30.0	0.202	多云	假设@08:20 未知程序 (未用传感器)
09:00	60	30.0	0.202	晴	假设@09:00 未知程序 (未用传感器)
09:40	60	30.0	0.202	晴	假设@09:40 未知程序 (未用传感器)
10:25	60	30.0	0.202	晴	假设@10:25 未知程序 (未用传感器)
11:25	60	30.0	0.202	晴	假设@11:25 未知程序 (未用传感器)
12:15	60	30.0	0.202	晴	假设@12:15 未知程序 (未用传感器)
13:00	60	30.0	0.202	晴	假设@13:00 未知程序 (未用传感器)
13:50	60	30.0	0.202	晴	假设@13:50 未知程序 (未用传感器)
总计	480.0 (8次)	240.0			建议进液EC: 2060, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	60	30.0	0.202	雾	假设@08:15 未知程序 (未用传感器)
08:50	60	30.0	0.202	雾	假设@08:50 未知程序 (未用传感器)
09:25	60	30.0	0.202	晴	假设@09:25 未知程序 (未用传感器)
10:15	60	30.0	0.202	晴	假设@10:15 未知程序 (未用传感器)
11:15	60	30.0	0.202	晴	假设@11:15 未知程序 (未用传感器)
12:05	60	30.0	0.202	晴	假设@12:05 未知程序 (未用传感器)
12:50	60	30.0	0.202	晴	假设@12:50 未知程序 (未用传感器)
13:40	60	30.0	0.202	晴	假设@13:40 未知程序 (未用传感器)
14:35	60	30.0	0.202	晴	假设@14:35 未知程序 (未用传感器)
总计	540.0 (9次)	270.0			建议进液EC: 1960, PH: 6.0

