





FgArea: [' 0']
NC11 P2-3
2025-12-06 (Day 101)


fgNum 1 (at_row = 4)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Warning: col ['setVI_fgRec'] is missing



Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-3_0







FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	150	30.0	0.014	晴	预期@09:40 手动 (未用传感器)
10:15	150	30.0	0.014	晴	预期@10:15 手动 (未用传感器)
10:50	150	30.0	0.014	晴	预期@10:50 手动 (未用传感器)
11:25	150	30.0	0.014	晴	预期@11:25 手动 (未用传感器)
12:25	150	30.0	0.014	晴	预期@12:25 手动 (未用传感器)
13:35	150	30.0	0.014	晴	预期@13:35 手动 (未用传感器)
总计	900.0 (6次)	180.0			建议进液EC: 1870, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	150	30.0	0.014	阴	假设@10:45 未知程序(未用传感器)
11:35	150	30.0	0.014	多云	假设@11:35 未知程序(未用传感器)
13:05	150	30.0	0.014	多云	假设@13:05 未知程序(未用传感器)
总计	450.0 (3次)	90.0			建议进液EC: 1820, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	150	30.0	0.014	晴	假设@09:40 未知程序 (未用传感器)
10:25	150	30.0	0.014	晴	假设@10:25 未知程序 (未用传感器)
11:10	150	30.0	0.014	晴	假设@11:10 未知程序 (未用传感器)
11:55	150	30.0	0.014	晴	假设@11:55 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1770, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	150	30.0	0.014	晴	假设@10:00 未知程序 (未用传感器)
10:45	150	30.0	0.014	晴	假设@10:45 未知程序 (未用传感器)
11:25	150	30.0	0.014	晴	假设@11:25 未知程序 (未用传感器)
12:05	150	30.0	0.014	晴	假设@12:05 未知程序 (未用传感器)
13:20	150	30.0	0.014	晴	假设@13:20 未知程序 (未用传感器)
总计	750.0 (5次)	150.0			建议进液EC: 1800, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	150	30.0	0.014	晴	假设@09:50 未知程序 (未用传感器)
10:35	150	30.0	0.014	晴	假设@10:35 未知程序 (未用传感器)
11:20	150	30.0	0.014	晴	假设@11:20 未知程序 (未用传感器)
12:05	150	30.0	0.014	晴	假设@12:05 未知程序 (未用传感器)
总计	600.0 (4次)	120.0			建议进液EC: 1870, PH: 6.0

