





FgArea: [' 0']
NC11 P2-3
2025-12-11 (Day 106)


fgNum 1 (at_row = 4)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-3_0















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:10 | 150 | 30.0 | 0.014 | 晴 | 预期@11:10 手动 (未用传感器) |
| 11:45 | 150 | 30.0 | 0.014 | 晴 | 预期@11:45 手动 (未用传感器) |
| 13:00 | 150 | 30.0 | 0.014 | 晴 | 预期@13:00 手动 (未用传感器) |
| 总计 | 450.0 (3次) | 90.0 | | | 建议进液EC: 1900, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|----|---------|-----------|-----------|----|-----------------------|
| 总计 | 0 (0次) | 0 | | | 建议进液EC: 1870, PH: 6.0 |






| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:30 | 150 | 30.0 | 0.014 | 晴 | 假设@10:30 未知程序(未用传感器) |
| 11:25 | 150 | 30.0 | 0.014 | 晴 | 假设@11:25 未知程序(未用传感器) |
| 12:35 | 150 | 30.0 | 0.014 | 晴 | 假设@12:35 未知程序(未用传感器) |
| 总计 | 450.0 (3次) | 90.0 | | | 建议进液EC: 1900, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:15 | 150 | 30.0 | 0.014 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:15 | 150 | 30.0 | 0.014 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 总计 | 300.0 (2次) | 60.0 | | | 建议进液EC: 1780, PH: 6.0 |



| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 11:20 | 150 | 30.0 | 0.014 | 晴 | 假设@11:20 未知程序(未用传感器) |
| 12:05 | 150 | 30.0 | 0.014 | 晴 | 假设@12:05 未知程序(未用传感器) |
| 13:10 | 150 | 30.0 | 0.014 | 晴 | 假设@13:10 未知程序(未用传感器) |
| 总计 | 450.0 (3次) | 90.0 | | | 建议进液EC: 1870, PH: 6.0 |

