





FgArea: [' 0']
NC11 P2-3
2025-12-13 (Day 108)


fgNum 1 (at_row = 4)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot forP2-3_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	150	30.0	0.014	晴	预期@11:25 手动 (未用传感器)
12:05	150	30.0	0.014	晴	预期@12:05 手动 (未用传感器)
13:20	150	30.0	0.014	晴	预期@13:20 手动 (未用传感器)
总计	450.0 (3次)	90.0			建议进液EC: 1970, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1870, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	150	30.0	0.014	晴	假设@10:45 未知程序(未用传感器)
11:35	150	30.0	0.014	晴	假设@11:35 未知程序(未用传感器)
12:50	150	30.0	0.014	多云	假设@12:50 未知程序(未用传感器)
总计	450.0 (3次)	90.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
总计	0 (0次)	0			建议进液EC: 1870, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:30	150	30.0	0.014	晴	假设@10:30 未知程序(未用传感器)
11:25	150	30.0	0.014	晴	假设@11:25 未知程序(未用传感器)
12:35	150	30.0	0.014	晴	假设@12:35 未知程序(未用传感器)
总计	450.0 (3次)	90.0			建议进液EC: 1900, PH: 6.0

